# ARIZONA

# 2007 Codebook Report

# Behavioral Risk Factor Surveillance System

## March 2, 2008

CDC

BRFSS

Behavioral Risk Factor Surveillance System

**State FIPS Code**

    **Section:** 0.1  Record Identification                                          **Type:** Num

    **Column:** 1-2                                                **SAS Variable Name:** _STATE

    **Prologue:**

**Description:** State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 4 | Arizona | 4,733 | 100.00 | 100.00 |

**Geographic Stratum Code**

    **Section:** 0.2  Record Identification                                       **Type:** Num

    **Column:** 3-4                                                **SAS Variable Name:** _GEOSTR

    **Prologue:**

**Description:** Geographic Stratum Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Household Density Stratum Code**

    **Section:** 0.3  Record Identification                                       **Type:** Num

    **Column:** 5                                                  **SAS Variable Name:** _DENSTR2

    **Prologue:**

**Description:** Household Density Stratum Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Listed | 3,493 | 73.80 | 59.65 |
| 2 | Unlisted | 1,240 | 26.20 | 40.35 |

**Pre-Call Status Code**

    **Section:** 0.4  Record Identification                                       **Type:** Num

    **Column:** 6                                                  **SAS Variable Name:** PRECALL

    **Prologue:**

**Description:** Pre-Call Status Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | To be called | 4,326 | 91.40 | 91.47 |
| 3 | Pre-screened as non-working number | 298 | 6.30 | 6.44 |
| 4 | cell phone - PRO-T-S | 1 | 0.02 | 0.01 |
| 5 | Pre-screened as business number | 107 | 2.26 | 2.07 |
| 6 | cell phone - Interviewer | 1 | 0.02 | 0.01 |

**Replicate Number**

    **Section:** 0.5  Record Identification                                       **Type:** Num

    **Column:** 7-11                                              **SAS Variable Name:** REPNUM

    **Prologue:**

**Description:** Replicate Number

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Replicate Depth**

    **Section:** 0.6  Record Identification                             **Type:** Num

    **Column:** 12-13                                    **SAS Variable Name:** REPDEPTH

    **Prologue:**

**Description:** Replicate Depth

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**File Month**

    **Section:** 0.7  Record Identification                             **Type:** Num

    **Column:** 14-15                                    **SAS Variable Name:** FMONTH

    **Prologue:**

**Description:** File Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | January | 416 | 8.79 | 7.63 |
| 2 | February | 431 | 9.11 | 10.24 |
| 3 | March | 285 | 6.02 | 5.49 |
| 4 | April | 336 | 7.10 | 6.37 |
| 5 | May | 366 | 7.73 | 7.07 |
| 6 | June | 385 | 8.13 | 8.79 |
| 7 | July | 442 | 9.34 | 9.25 |
| 8 | August | 475 | 10.04 | 9.43 |
| 9 | September | 547 | 11.56 | 11.57 |
| 10 | October | 372 | 7.86 | 8.01 |
| 11 | November | 423 | 8.94 | 10.53 |
| 12 | December | 255 | 5.39 | 5.62 |

**Interview Date**

    **Section:** 0.8  Record Identification                             **Type:** Char

    **Column:** 16-23                                    **SAS Variable Name:** IDATE

    **Prologue:**

**Description:** Interview Date

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Interview Month**

  **Section:** 0.9  Record Identification    **Type:** Char
  **Column:** 16-17    **SAS Variable Name:** IMONTH
  **Prologue:**
**Description:** Interview Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | January | 381 | 8.05 | 6.74 |
| 2 | February | 466 | 9.85 | 11.14 |
| 3 | March | 285 | 6.02 | 5.49 |
| 4 | April | 336 | 7.10 | 6.37 |
| 5 | May | 366 | 7.73 | 7.07 |
| 6 | June | 330 | 6.97 | 7.07 |
| 7 | July | 402 | 8.49 | 9.21 |
| 8 | August | 570 | 12.04 | 11.20 |
| 9 | September | 547 | 11.56 | 11.57 |
| 10 | October | 361 | 7.63 | 7.80 |
| 11 | November | 424 | 8.96 | 10.46 |
| 12 | December | 265 | 5.60 | 5.90 |

**Interview Day**

  **Section:** 0.10 Record Identification    **Type:** Char
  **Column:** 18-19    **SAS Variable Name:** IDAY
  **Prologue:**
**Description:** Interview Day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Interview Day | 299 | 6.32 | 8.71 |
| 2 | | 282 | 5.96 | 4.69 |
| 3 | | 262 | 5.54 | 6.10 |
| 4 | | 220 | 4.65 | 4.82 |
| 5 | | 241 | 5.09 | 3.96 |
| 6 | | 174 | 3.68 | 3.47 |
| 7 | | 207 | 4.37 | 4.88 |
| 8 | | 220 | 4.65 | 3.76 |
| 9 | | 258 | 5.45 | 5.37 |
| 10 | | 202 | 4.27 | 3.44 |
| 11 | | 212 | 4.48 | 4.81 |
| 12 | | 182 | 3.85 | 3.59 |
| 13 | | 165 | 3.49 | 3.78 |
| 14 | | 180 | 3.80 | 3.13 |
| 15 | | 175 | 3.70 | 3.49 |
| 16 | | 131 | 2.77 | 2.70 |
| 17 | | 113 | 2.39 | 2.70 |
| 18 | | 149 | 3.15 | 3.31 |
| 19 | | 112 | 2.37 | 1.97 |
| 20 | | 118 | 2.49 | 2.88 |
| 21 | | 112 | 2.37 | 1.93 |
| 22 | | 83 | 1.75 | 1.23 |
| 23 | | 79 | 1.67 | 1.99 |
| 24 | | 101 | 2.13 | 2.79 |
| 25 | | 77 | 1.63 | 1.90 |
| 26 | | 69 | 1.46 | 1.65 |
| 27 | | 67 | 1.42 | 1.53 |
| 28 | | 85 | 1.80 | 1.97 |
| 29 | | 67 | 1.42 | 1.49 |
| 30 | | 69 | 1.46 | 1.28 |
| 31 | | 22 | 0.46 | 0.70 |

**Interview Year**

| | |
|---|---|
| **Section:** 0.11 Record Identification | **Type:** Char |
| **Column:** 20-23 | **SAS Variable Name:** IYEAR |
| **Prologue:** | |

**Description:** Interview Year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 2007 | Interview Year | 4,733 | 100.00 | 100.00 |

**Interviewer Identification**

| | |
|---|---|
| **Section:** 0.12 Record Identification | **Type:** Char |
| **Column:** 24-26 | **SAS Variable Name:** INTVID |
| **Prologue:** | |

**Description:** Interviewer Identification

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Final Disposition**

| | |
|---|---|
| **Section:** 0.13 Record Identification | **Type:** Num |
| **Column:** 27-29 | **SAS Variable Name:** DISPCODE |
| **Prologue:** | |

**Description:** Final Disposition

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 110 | Completed Interview | 4,228 | 89.33 | 87.97 |
| 120 | Partial Complete Interview | 505 | 10.67 | 12.03 |

**Annual Sequence Number**

| | |
|---|---|
| **Section:** 0.14 Record Identification | **Type:** Num |
| **Column:** 30-39 | **SAS Variable Name:** SEQNO |
| **Prologue:** | |

**Description:** Annual Sequence Number

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Primary Sampling Unit**

| | |
|---|---|
| **Section:** 0.15 Record Identification | **Type:** Num |
| **Column:** 30-39 | **SAS Variable Name:** _PSU |
| **Prologue:** | |

**Description:** Primary Sampling Unit (Equal to Annual Sequence Number)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Number of Attempts

**Section:** 0.16 Record Identification

**Column:** 40-41

**Prologue:**

**Description:** Number of Attempts

**Type:** Num

**SAS Variable Name:** NATTMPTS

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Number of Sample Records Selected from Stratum

**Section:** 0.17 Record Identification

**Column:** 42-47

**Prologue:**

**Description:** Number of Sample Records Selected from Stratum

**Type:** Num

**SAS Variable Name:** NRECSEL

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Number of Telephone Numbers in Stratum from Which Sample Was Selected

**Section:** 0.18 Record Identification

**Column:** 48-56

**Prologue:**

**Description:** Number of Telephone Numbers in Stratum from Which Sample Was Selected

**Type:** Num

**SAS Variable Name:** NRECSTR

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Correct telephone number?

**Section:** 0.19 Record Identification

**Column:** 57

**Prologue:**

**Description:** Correct Telephone Number?

**Type:** Num

**SAS Variable Name:** CTELENUM

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 4,733 | 100.00 | 100.00 |

## Cellular Telephone

**Section:** 0.20 Record Identification

**Column:** 58

**Prologue:**

**Description:** Cellular Telephone

**Type:** Num

**SAS Variable Name:** CELLFON

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Not a cellular phone | 4,733 | 100.00 | 100.00 |

**Private Residence?**

**Section:** 0.21 Record Identification      **Type:** Num

**Column:** 59      **SAS Variable Name:** PVTRESID

**Prologue:**

**Description:** Private Residence?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 4,733 | 100.00 | 100.00 |

**Number of Adults in Household**

**Section:** 0.22 Record Identification      **Type:** Num

**Column:** 60-61      **SAS Variable Name:** NUMADULT

**Prologue:**

**Description:** Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Number of adults in the household | 1,780 | 37.61 | 19.67 |
| 2 | | 2,339 | 49.42 | 54.65 |
| 3 | | 420 | 8.87 | 15.93 |
| 4 | | 150 | 3.17 | 6.41 |
| 5 | | 37 | 0.78 | 2.77 |
| 6 – 99 | 6 or more | 7 | 0.15 | 0.57 |

**Number of Adult men in Household**

**Section:** 0.23 Record Identification      **Type:** Num

**Column:** 62-63      **SAS Variable Name:** NUMMEN

**Prologue:**

**Description:** Number of Adult Men in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 | Number of adult men in the household | 1,377 | 29.09 | 14.40 |
| 1 | | 2,956 | 62.46 | 65.36 |
| 2 | | 330 | 6.97 | 14.77 |
| 3 | | 62 | 1.31 | 4.63 |
| 4 | | 7 | 0.15 | 0.82 |
| 5 | | 1 | 0.02 | 0.02 |

**Number of Adult women in Household**

**Section:** 0.24 Record Identification      **Type:** Num

**Column:** 64-65      **SAS Variable Name:** NUMWOMEN

**Prologue:**

**Description:** Number of Adult Women in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 | Number of adult women in the household | 633 | 13.37 | 11.71 |
| 1 | | 3,592 | 75.89 | 72.26 |
| 2 | | 412 | 8.70 | 12.69 |
| 3 | | 86 | 1.82 | 2.67 |
| 4 | | 9 | 0.19 | 0.66 |
| 5 | | 1 | 0.02 | 0.01 |

## General Health

**Section:** 1.1  Health Status

**Column:** 73

**Prologue:**

**Type:** Num

**SAS Variable Name:** GENHLTH

**Description:** Would you say that in general your health is:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Excellent | 888 | 18.76 | 21.98 |
| 2 | Very good | 1,396 | 29.50 | 29.64 |
| 3 | Good | 1,447 | 30.57 | 30.66 |
| 4 | Fair | 653 | 13.80 | 12.72 |
| 5 | Poor | 315 | 6.66 | 4.55 |
| 7 | Don't know/Not Sure | 9 | 0.19 | 0.13 |
| 9 | Refused | 25 | 0.53 | 0.32 |

## Number of Days Physical Health Not Good

**Section:** 2.1  Healthy Days - Health-Related Quality of Life

**Column:** 74-75

**Prologue:**

**Type:** Num

**SAS Variable Name:** PHYSHLTH

**Description:** Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 30 | Number of days<br>Notes: _ _ Number of days | 1,680 | 35.50 | 32.70 |
| 88 | None | 2,962 | 62.58 | 65.78 |
| 77 | Don't know/Not sure | 85 | 1.80 | 1.39 |
| 99 | Refused | 6 | 0.13 | 0.13 |

## Number of Days Mental Health Not Good

**Section:** 2.2  Healthy Days - Health-Related Quality of Life

**Column:** 76-77

**Prologue:**

**Type:** Num

**SAS Variable Name:** MENTHLTH

**Description:** Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 30 | Number of days<br>Notes: _ _ Number of days | 1,522 | 32.16 | 34.76 |
| 88 | None | 3,135 | 66.24 | 64.08 |
| 77 | Don't know/Not sure | 59 | 1.25 | 0.93 |
| 99 | Refused | 17 | 0.36 | 0.22 |

## Poor Physical Health

**Section:** 2.3  Healthy Days - Health-Related Quality of Life　　**Type:** Num

**Column:** 78-79　　**SAS Variable Name:** POORHLTH

**Prologue:**

**Description:** During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 30 | Number of days | 1,044 | 42.79 | 36.75 |
| | Notes: _ _ Number of days | | | |
| 88 | None | 1,339 | 54.88 | 61.78 |
| 77 | Don't know/Not sure | 45 | 1.84 | 1.14 |
| 99 | Refused | 12 | 0.49 | 0.33 |
| BLANK | Not asked or Missing | 2,293 | | |
| | Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88 | | | |

## Have any health care coverage

**Section:** 3.1  Health Care Access　　**Type:** Num

**Column:** 80　　**SAS Variable Name:** HLTHPLAN

**Prologue:**

**Description:** Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 4,038 | 85.32 | 81.62 |
| 2 | No | 673 | 14.22 | 18.07 |
| 7 | Don't know/Not Sure | 18 | 0.38 | 0.23 |
| 9 | Refused | 4 | 0.08 | 0.08 |

## Multiple Health Care Professionals

**Section:** 3.2  Health Care Access　　**Type:** Num

**Column:** 81　　**SAS Variable Name:** PERSDOC2

**Prologue:**

**Description:** Do you have one person you think of as your personal doctor or health care provider?  (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes, only one | 3,371 | 71.22 | 66.75 |
| 2 | More than one | 394 | 8.32 | 7.30 |
| 3 | No | 948 | 20.03 | 25.44 |
| 7 | Don't know/Not Sure | 17 | 0.36 | 0.47 |
| 9 | Refused | 3 | 0.06 | 0.03 |

## Could Not See Doctor Because of Cost

**Section:** 3.3  Health Care Access　　**Type:** Num

**Column:** 82　　**SAS Variable Name:** MEDCOST

**Prologue:**

**Description:** Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 580 | 12.25 | 13.55 |
| 2 | No | 4,136 | 87.39 | 86.07 |
| 7 | Don't know/Not sure | 13 | 0.27 | 0.33 |
| 9 | Refused | 4 | 0.08 | 0.05 |

**Length of time since last routine checkup**

    **Section:** 3.4  Health Care Access                                        **Type:** Num

    **Column:** 83                                        **SAS Variable Name:** CHECKUP1

    **Prologue:**

**Description:** About how long has it been since you last visited a doctor for a routine checkup?   [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Within past year (anytime less than 12 months ago) | 3,363 | 71.05 | 64.60 |
| 2 | Within past 2 years (1 year but less than 2 years ago) | 585 | 12.36 | 14.80 |
| 3 | Within past 5 years (2 years but less than 5 years ago) | 299 | 6.32 | 7.77 |
| 4 | 5 or more years ago | 375 | 7.92 | 9.53 |
| 7 | Don't know/Not sure | 46 | 0.97 | 0.81 |
| 8 | Never | 61 | 1.29 | 2.45 |
| 9 | Refused | 4 | 0.08 | 0.04 |

**Exercise in Past 30 Days**

    **Section:** 4.1  Exercise                                            **Type:** Num

    **Column:** 84                                        **SAS Variable Name:** EXERANY2

    **Prologue:**

**Description:** During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 3,501 | 73.97 | 77.59 |
| 2 | No | 1,226 | 25.90 | 22.37 |
| 7 | Don't know/Not Sure | 5 | 0.11 | 0.04 |
| 9 | Refused | 1 | 0.02 | 0.00 |

**Ever Told by Doctor You Have Diabetes**

    **Section:** 5.1  Diabetes                                           **Type:** Num

    **Column:** 85                                        **SAS Variable Name:** DIABETE2

    **Prologue:**

**Description:** Have you ever been told by a doctor that you have diabetes  (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or boderline diabetes, use response code 4.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 539 | 11.39 | 8.42 |
| 2 | Yes, but female told only during pregnancy | 44 | 0.93 | 1.21 |
| 3 | No | 4,099 | 86.60 | 89.37 |
| 4 | No, pre-diabetes or boarderline diabetes | 46 | 0.97 | 0.89 |
| 7 | Don't know/Not Sure | 5 | 0.11 | 0.11 |

## Ever Told Blood Pressure High

**Section:** 6.1  Hypertension Awareness  **Type:** Num

**Column:** 86  **SAS Variable Name:** BPHIGH4

**Prologue:**

**Description:** Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure?  (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,602 | 33.85 | 24.77 |
| 2 | Yes, but female told only during pregnancy—Go to Section 07.01 BLOODCHO | 37 | 0.78 | 0.96 |
| 3 | No—Go to Section 07.01 BLOODCHO | 3,049 | 64.42 | 73.61 |
| 4 | Told borderline high or pre-hypertensive—Go to Section 07.01 BLOODCHO | 33 | 0.70 | 0.49 |
| 7 | Don´t know/Not Sure—Go to Section 07.01 BLOODCHO | 12 | 0.25 | 0.18 |

## Currently Taking Blood Pressure Medication

**Section:** 6.2  Hypertension Awareness  **Type:** Num

**Column:** 87  **SAS Variable Name:** BPMEDS

**Prologue:**

**Description:** Are you currently taking medicine for your high blood pressure?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,331 | 83.08 | 77.27 |
| 2 | No | 266 | 16.60 | 22.60 |
| 7 | Don't know/Not Sure | 4 | 0.25 | 0.10 |
| 9 | Refused | 1 | 0.06 | 0.03 |
| BLANK | Not asked or Missing | 3,131 | | |

Notes: Section 6.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing

## Ever Had Blood Cholesterol Checked

**Section:** 7.1  Cholesterol Awareness  **Type:** Num

**Column:** 88  **SAS Variable Name:** BLOODCHO

**Prologue:**

**Description:** Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 3,791 | 80.10 | 73.30 |
| 2 | No—Go to Section 08.01 CVDINFR4 | 859 | 18.15 | 24.32 |
| 7 | Don't know/Not Sure—Go to Section 08.01 CVDINFR4 | 81 | 1.71 | 2.11 |
| 9 | Refused—Go to Section 08.01 CVDINFR4 | 2 | 0.04 | 0.27 |

## How Long since Cholesterol Checked

**Section:** 7.2  Cholesterol Awareness  **Type:** Num

**Column:** 89  **SAS Variable Name:** CHOLCHK

**Prologue:**

**Description:** About how long has it been since you last had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Within the past year (anytime less than 12 months ago) | 2,919 | 77.00 | 72.31 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 417 | 11.00 | 15.33 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 251 | 6.62 | 7.40 |
| 4 | 5 or more years ago | 154 | 4.06 | 3.97 |
| 7 | Don't know/Not Sure | 48 | 1.27 | 0.98 |
| 9 | Refused | 2 | 0.05 | 0.01 |
| BLANK | Not asked or Missing | 942 | | |

Notes: Section 7.01, BLOODCHO, is coded 2, 7, 9, or Missing

**Ever Told Blood Cholesterol High**

    **Section:** 7.3  Cholesterol Awareness                                 **Type:** Num

    **Column:** 90                                           **SAS Variable Name:** TOLDHI2

    **Prologue:**

**Description:** Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,630 | 43.00 | 37.81 |
| 2 | No | 2,126 | 56.08 | 60.83 |
| 7 | Don't know/Not Sure | 34 | 0.90 | 1.31 |
| 9 | Refused | 1 | 0.03 | 0.05 |
| BLANK | Not asked or Missing | 942 | | |

                    Notes: Section 7.01, BLOODCHO, is coded 2, 7, 9, or Missing

**Ever Diagnosed with Heart Attack**

    **Section:** 8.1  Cardiovascular Disease Prevalence                   **Type:** Num

    **Column:** 91                                             **SAS Variable Name:** CVDINFR4

    **Prologue:** Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

**Description:** (Ever told) you had a heart attack, also called a myocardial infarction?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 294 | 6.21 | 4.61 |
| 2 | No | 4,412 | 93.22 | 95.19 |
| 7 | Don't know/Not sure | 25 | 0.53 | 0.18 |
| 9 | Refused | 2 | 0.04 | 0.02 |

**Ever Diagnosed with Angina or Coronary Heart Disease**

    **Section:** 8.2  Cardiovascular Disease Prevalence                   **Type:** Num

    **Column:** 92                                             **SAS Variable Name:** CVDCRHD4

    **Prologue:** Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

**Description:** (Ever told) you had angina or coronary heart disease?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 296 | 6.25 | 4.88 |
| 2 | No | 4,384 | 92.63 | 94.62 |
| 7 | Don't know/Not sure | 53 | 1.12 | 0.50 |

**Ever Diagnosed with a Stroke**

    **Section:** 8.3  Cardiovascular Disease Prevalence                   **Type:** Num

    **Column:** 93                                             **SAS Variable Name:** CVDSTRK3

    **Prologue:** Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":]

**Description:** (Ever told) you had a stroke.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 187 | 3.95 | 2.88 |
| 2 | No | 4,534 | 95.80 | 96.95 |
| 7 | Don't know/Not sure | 12 | 0.25 | 0.17 |

**Ever Told Had Asthma**

    **Section:** 9.1  Asthma                                         **Type:** Num

    **Column:** 94                                      **SAS Variable Name:** ASTHMA2

    **Prologue:**

**Description:** Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 664 | 14.03 | 13.99 |
| 2 | No—Go to Section 10.01 FLUSHOT3 | 4,057 | 85.72 | 85.82 |
| 7 | Don't know/Not Sure—Go to Section 10.01 FLUSHOT3 | 12 | 0.25 | 0.19 |

**Still Have Asthma**

    **Section:** 9.2  Asthma                                         **Type:** Num

    **Column:** 95                                      **SAS Variable Name:** ASTHNOW

    **Prologue:**

**Description:** Do you still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 436 | 65.66 | 61.53 |
| 2 | No | 204 | 30.72 | 36.18 |
| 7 | Don't know/Not Sure | 24 | 3.61 | 2.28 |
| BLANK | Not asked or Missing | 4,069 | | |
| | Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing | | | |

**Flu shot past 12 mos**

    **Section:** 10.1  Immunization                                **Type:** Num

    **Column:** 96                                      **SAS Variable Name:** FLUSHOT3

    **Prologue:**

**Description:** A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,948 | 41.16 | 33.46 |
| 2 | No | 2,770 | 58.53 | 65.98 |
| 7 | Don't know/Not Sure | 15 | 0.32 | 0.56 |

**Flu spray past 12 mos**

    **Section:** 10.2  Immunization                                **Type:** Num

    **Column:** 97                                      **SAS Variable Name:** FLUSPRY2

    **Prologue:**

**Description:** During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine sprayed in the nose is also called FluMist™.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 61 | 1.29 | 1.21 |
| 2 | No | 4,653 | 98.31 | 98.61 |
| 7 | Don't know/Not Sure | 19 | 0.40 | 0.19 |

## Pneumonia shot ever

**Section:** 10.3  Immunization        **Type:** Num

**Column:** 98        **SAS Variable Name:** PNEUVAC3

**Prologue:**

**Description:** A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person´s lifetime and is different from the flu shot.  Have you ever had a pneumonia shot?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,510 | 31.90 | 24.34 |
| 2 | No | 2,891 | 61.08 | 66.69 |
| 7 | Don't know/Not Sure | 331 | 6.99 | 8.96 |
| 9 | Refused | 1 | 0.02 | 0.01 |

## Ever had Hepatitis B vaccine

**Section:** 10.4  Immunization        **Type:** Num

**Column:** 99        **SAS Variable Name:** HEPBVAC

**Prologue:**

**Description:** Have you EVER received the hepatitis B vaccine? The hepatitis B vaccine is completed after the third shot is given.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,238 | 26.16 | 30.06 |
| 2 | No | 2,902 | 61.31 | 54.59 |
| 7 | Don't know/Not sure | 593 | 12.53 | 15.36 |

## Any Hepatitis B behaviors true for you?

**Section:** 10.5  Immunization        **Type:** Num

**Column:** 100        **SAS Variable Name:** HEPBRSN2

**Prologue:** Please tell me if ANY of these statements is true for YOU.  Do NOT tell me WHICH statement or statements are true for you, just if ANY of them are:  You have hemophilia and have received clotting factor concentrate: You have had sex with a man who has had sex with other men, even just one time: You have taken street drugs by needle, even just one time: You traded sex for money or drugs, even just one time:

**Description:** Are any of these statements true for you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes, at least one statement is true | 188 | 3.97 | 6.06 |
| 2 | No, none of these statements is true | 4,522 | 95.54 | 93.48 |
| 7 | Don't know/Not Sure | 11 | 0.23 | 0.29 |
| 9 | Refused | 12 | 0.25 | 0.17 |

## Smoked at Least 100 Cigarettes

**Section:** 11.1  Tobacco Use        **Type:** Num

**Column:** 101        **SAS Variable Name:** SMOKE100

**Prologue:**

**Description:** Have you smoked at least 100 cigarettes in your entire life?  [Note:  5 packs = 100 cigarettes]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 2,208 | 46.65 | 43.71 |
| 2 | No—Go to Section 12.01 AGE | 2,504 | 52.91 | 55.99 |
| 7 | Don't know/Not Sure—Go to Section 12.01 AGE | 21 | 0.44 | 0.30 |

## Frequency of Days Now Smoking

**Section:** 11.2  Tobacco Use                                                                 **Type:** Num
**Column:** 102                                                        **SAS Variable Name:** SMOKDAY2
**Prologue:**
**Description:** Do you now smoke cigarettes every day, some days, or not at all?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Every day | 608 | 27.54 | 31.13 |
| 2 | Some days | 231 | 10.46 | 14.02 |
| 3 | Not at all—Go to Section 12.01 AGE | 1,368 | 61.96 | 54.84 |
| 7 | Don´t Know/Not Sure—Go to Section 12.01 AGE | 1 | 0.05 | 0.00 |
| BLANK | Not asked or Missing | 2,525 | | |

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing

## Stopped Smoking in past 12 months

**Section:** 11.3  Tobacco Use                                                                 **Type:** Num
**Column:** 103                                                        **SAS Variable Name:** STOPSMK2
**Prologue:**
**Description:** During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 451 | 53.75 | 59.69 |
| 2 | No | 385 | 45.89 | 39.99 |
| 7 | Don't know/Not Sure | 3 | 0.36 | 0.32 |
| BLANK | Not asked or Missing | 3,894 | | |

Notes: Section 11.01, SMOKE100, is coded 2, 7, 9, or Missing; or
Section 11.02, SMOKDAY2, is coded 3, 7, 9, or Missing

## Reported Age in Years

**Section:** 12.1  Demographics                                                                **Type:** Num
**Column:** 104-105                                                          **SAS Variable Name:** AGE
**Prologue:**
**Description:** What is your age?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | Don't know/Not sure | 7 | 0.15 | 0.18 |
| 9 | Refused | 44 | 0.93 | 0.53 |
| 18 – 24 | Age 18 – 24 | 162 | 3.42 | 8.82 |
| | Notes: _ _ Code age in years | | | |
| 25 – 34 | Age 25 – 34 | 530 | 11.20 | 22.66 |
| 35 – 44 | Age 35 – 44 | 637 | 13.46 | 19.74 |
| 45 – 54 | Age 45 – 54 | 909 | 19.21 | 16.94 |
| 55 – 64 | Age 55 – 64 | 961 | 20.30 | 13.48 |
| 65 – 99 | Age 65 or older | 1,483 | 31.33 | 17.66 |

## Hispanic/Latino

**Section:** 12.2  Demographics                                                               **Type:** Num
**Column:** 106                                                        **SAS Variable Name:** HISPANC2
**Prologue:**
**Description:** Are you Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,073 | 22.67 | 20.94 |
| 2 | No | 3,639 | 76.89 | 78.81 |
| 7 | Don't know/Not Sure | 10 | 0.21 | 0.07 |
| 9 | Refused | 11 | 0.23 | 0.18 |

**Multiple Race**

|  | | |
|---|---|---|
| **Section:** 12.3  Demographics | | **Type:** Char |
| **Column:** 107-112 | | **SAS Variable Name:** MRACE |
| **Prologue:** | | |

**Description:** Which one or more of the following would you say is your race?   [Mark all that apply.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | Don't know/Not sure | 36 | 0.76 | 0.81 |
| 9 | Refused | 49 | 1.04 | 0.90 |
|  | Notes: Specify_____ | | | |
| HIDDEN | Data not displayed | 4,648 | 98.20 | 98.29 |
|  | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Respondent Race Choice**

|  | | |
|---|---|---|
| **Section:** 12.4  Demographics | | **Type:** Num |
| **Column:** 113 | | **SAS Variable Name:** ORACE2 |
| **Prologue:** | | |

**Description:** Which one of these groups would you say best represents your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White | 22 | 52.38 | 42.21 |
| 2 | Black or African American | 3 | 7.14 | 9.79 |
| 3 | Asian | 2 | 4.76 | 15.32 |
| 4 | Native Hawaiian or Other Pacific Islander | 2 | 4.76 | 0.84 |
| 5 | American Indian, Alaska Native | 4 | 9.52 | 5.47 |
| 6 | Other | 2 | 4.76 | 0.98 |
|  | Notes: Specify_____ | | | |
| 7 | Don't know/Not sure | 6 | 14.29 | 24.65 |
| 9 | Refused | 1 | 2.38 | 0.75 |
| BLANK | Not asked or Missing | 4,691 | | |
|  | Notes: Section 12.03, MRACE, has only one valid race code | | | |

**Are You A Veteran**

|  | | |
|---|---|---|
| **Section:** 12.5  Demographics | | **Type:** Num |
| **Column:** 114 | | **SAS Variable Name:** VETERAN1 |
| **Prologue:** | | |

**Description:** Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 722 | 15.25 | 12.50 |
| 2 | No | 4,007 | 84.66 | 87.40 |
| 7 | Don't know/Not Sure | 1 | 0.02 | 0.02 |
| 9 | Refused | 3 | 0.06 | 0.07 |

**Marital Status**

    **Section:** 12.6  Demographics                                              **Type:** Num

    **Column:** 115                     **SAS Variable Name:** MARITAL

    **Prologue:**

**Description:** Are you: (marital status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Married | 2,685 | 56.73 | 63.68 |
| 2 | Divorced | 714 | 15.09 | 8.92 |
| 3 | Widowed | 622 | 13.14 | 6.54 |
| 4 | Separated | 116 | 2.45 | 1.86 |
| 5 | Never married | 468 | 9.89 | 14.16 |
| 6 | A member of an unmarried couple | 110 | 2.32 | 4.44 |
| 9 | Refused | 18 | 0.38 | 0.40 |

**Number of Children in Household**

    **Section:** 12.7  Demographics                          **Type:** Num

    **Column:** 116-117                   **SAS Variable Name:** CHILDREN

    **Prologue:**

**Description:** How many children less than 18 years of age live in your household?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 – 87 | Number of children<br>Notes: _ _ = Number of children | 1,477 | 31.21 | 47.02 |
| 88 | None | 3,242 | 68.50 | 52.54 |
| 99 | Refused | 14 | 0.30 | 0.44 |

**Education Level**

    **Section:** 12.8  Demographics                          **Type:** Num

    **Column:** 118                       **SAS Variable Name:** EDUCA

    **Prologue:**

**Description:** What is the highest grade or year of school you completed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Never attended school or only kindergarten | 17 | 0.36 | 0.12 |
| 2 | Grades 1 through 8 (Elementary) | 212 | 4.48 | 4.09 |
| 3 | Grades 9 through 11 (Some high school) | 337 | 7.12 | 7.74 |
| 4 | Grade 12 or GED (High school graduate) | 1,328 | 28.06 | 24.98 |
| 5 | College 1 year to 3 years (Some college or technical school) | 1,399 | 29.56 | 28.78 |
| 6 | College 4 years or more (College graduate) | 1,423 | 30.07 | 33.80 |
| 9 | Refused | 17 | 0.36 | 0.49 |

## Employment Status

**Section:** 12.9  Demographics      **Type:** Num

**Column:** 119      **SAS Variable Name:** EMPLOY

**Prologue:**

**Description:** Are you currently: (employment status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Employed for wages | 1,745 | 36.87 | 47.50 |
| 2 | Self-employed | 446 | 9.42 | 10.35 |
| 3 | Out of work for more than 1 year | 77 | 1.63 | 3.19 |
| 4 | Out of work for less that 1 year | 93 | 1.96 | 2.17 |
| 5 | A homemaker | 494 | 10.44 | 9.37 |
| 6 | A student | 75 | 1.58 | 3.14 |
| 7 | Retired | 1,507 | 31.84 | 18.51 |
| 8 | Unable to work | 274 | 5.79 | 5.32 |
| 9 | Refused | 22 | 0.46 | 0.45 |

## Income Level

**Section:** 12.10 Demographics      **Type:** Num

**Column:** 120-121      **SAS Variable Name:** INCOME2

**Prologue:**

**Description:** Is your annual household income from all sources:  (If respondent refuses at any income level, code "Refused.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Less than $10,000<br>Notes: If "no," code 02 | 229 | 4.84 | 3.49 |
| 2 | Less than $15,000 ($10,000 to less than $15,000)<br>Notes: If "no," code 03; if "yes," ask 01 | 252 | 5.32 | 3.19 |
| 3 | Less than $20,000 ($15,000 to less than $20,000)<br>Notes: If "no," code 04; if "yes," ask 02 | 332 | 7.01 | 6.16 |
| 4 | Less than $25,000 ($20,000 to less than $25,000)<br>Notes: If "no," ask 05; if "yes," ask 03 | 431 | 9.11 | 7.00 |
| 5 | Less than $35,000 ($25,000 to less than $35,000)<br>Notes: If "no," ask 06 | 539 | 11.39 | 9.93 |
| 6 | Less than $50,000 ($35,000 to less than $50,000)<br>Notes: If "no," ask 07 | 722 | 15.25 | 14.35 |
| 7 | Less than $75,000 ($50,000 to less than $75,000)<br>Notes: If "no," code 08 | 643 | 13.59 | 16.07 |
| 8 | $75,000 or more | 873 | 18.44 | 27.35 |
| 77 | Don't know/Not sure | 330 | 6.97 | 5.95 |
| 99 | Refused | 382 | 8.07 | 6.51 |

## Reported Weight in Pounds

**Section:** 12.11 Demographics      **Type:** Num

**Column:** 122-125      **SAS Variable Name:** WEIGHT2

**Prologue:**

**Description:** About how much do you weigh without shoes?  (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 50 - 0999 | Weight (pounds)<br>Notes: 0 _ _ _ = weight in pounds | 4,532 | 95.75 | 97.08 |
| 7777 | Don't know/Not sure | 101 | 2.13 | 1.68 |
| 9000 - 9998 | Weight (kilograms)<br>Notes: The initial '9' indicates this was a metric value. | 24 | 0.51 | 0.26 |
| 9999 | Refused | 76 | 1.61 | 0.98 |

**Reported Height in Feet and Inches**

**Section:** 12.12 Demographics                                              **Type:** Num

**Column:** 126-129                                              **SAS Variable Name:** HEIGHT3

**Prologue:**

**Description:** About how tall are you without shoes?  (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 200 – 711 | Height (ft/inches) | 4,510 | 95.29 | 94.77 |
|  | Notes: 0 _ / _ _ = feet / inches |  |  |  |
| 7777 | Don't know/Not sure | 134 | 2.83 | 3.70 |
| 9000 – 9998 | Height (meters/centimeters) | 65 | 1.37 | 1.20 |
|  | Notes: The initial '9' indicates this was a metric value. |  |  |  |
| 9999 | Refused | 24 | 0.51 | 0.33 |

**Reported Weight year ago in Pounds**

**Section:** 12.13 Demographics                                              **Type:** Num

**Column:** 130-133                                              **SAS Variable Name:** WTYRAGO

**Prologue:**

**Description:** How much did you weigh a year ago? [If you were pregnant a year ago, how much did you weigh before your pregnancy?]  (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 50 – 0999 | Weight (pounds) | 4,416 | 96.93 | 97.10 |
| 7777 | Don't know/Not sure | 107 | 2.35 | 2.50 |
| 9000 – 9998 | Weight (kilograms) | 21 | 0.46 | 0.29 |
| 9999 | Refused | 12 | 0.26 | 0.11 |
| BLANK | Not asked or Missing | 177 |  |  |

**Change in weight since year ago**

**Section:** 12.14 Demographics                                              **Type:** Num

**Column:** 134                                              **SAS Variable Name:** WTCHGINT

**Prologue:**

**Description:** Was the change between your current weight and your weight a year ago intentional?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 897 | 38.38 | 37.82 |
| 2 | No | 1,388 | 59.39 | 60.72 |
| 7 | Don't know/Not Sure | 49 | 2.10 | 1.25 |
| 9 | Refused | 3 | 0.13 | 0.21 |
| BLANK | Not asked or Missing | 2,396 |  |  |
|  | Notes: Section 12.11, WEIGHT2, is equal to Section 12.13, WTYRAGO |  |  |  |

**County Code**

**Section:** 12.15 Demographics                                              **Type:** Num

**Column:** 135-137                                              **SAS Variable Name:** CTYCODE

**Prologue:**

**Description:** What county do you live in?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 777 | Don't know/Not sure | 113 | 2.39 | 2.63 |
| 999 | Refused | 36 | 0.76 | 0.58 |
| HIDDEN | Data not displayed | 4,584 | 96.85 | 96.79 |
|  | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report |  |  |  |

## Zipcode of residence

**Section:** 12.16 Demographics      **Type:** Char
**Column:** 138-142      **SAS Variable Name:** ZIPCODE
**Prologue:**
**Description:** What is your ZIP Code where you live?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 77777 | Don't know/Not Sure | 156 | 3.30 | 3.59 |
| 99999 | Refused | 84 | 1.78 | 1.60 |
| BLANK | Not asked or Missing | 1 | | |
| HIDDEN | Data not displayed | 4,492 | 94.93 | 94.81 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Household Telephones

**Section:** 12.17 Demographics      **Type:** Num
**Column:** 143      **SAS Variable Name:** NUMHHOL2
**Prologue:**
**Description:** Do you have more than one telephone number in your household?  Do not include cell phones or numbers that are only used by a computer or fax machine.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 377 | 7.97 | 7.69 |
| 2 | No—Go to Section 12.19 TELSERV2 | 4,341 | 91.72 | 92.08 |
| 7 | Don't know/Not sure—Go to Section 12.19 TELSERV2 | 2 | 0.04 | 0.01 |
| 9 | Refused—Go to Section 12.19 TELSERV2 | 13 | 0.27 | 0.22 |

## Residential Phones

**Section:** 12.18 Demographics      **Type:** Num
**Column:** 144      **SAS Variable Name:** NUMPHON2
**Prologue:**
**Description:** How many of these are residential numbers?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Residential telephone number | 194 | 51.46 | 67.67 |
| 2 | Residential telephone numbers | 137 | 36.34 | 22.12 |
| 3 | Residential telephone numbers | 19 | 5.04 | 4.12 |
| 4 | Residential telephone numbers | 4 | 1.06 | 0.47 |
| 5 | Residential telephone numbers | 1 | 0.27 | 0.00 |
| 7 | Don't know/Not Sure | 16 | 4.24 | 2.71 |
| 9 | Refused | 6 | 1.59 | 2.91 |
| BLANK | Not asked or Missing | 4,356 | | |
| | Notes: Section 12,17, NUMHHOL2, is coded 2, 7, 9, or Missing | | | |

## Lost phone service one week+ last 12 mos

**Section:** 12.19 Demographics      **Type:** Num
**Column:** 145      **SAS Variable Name:** TELSERV2
**Prologue:**
**Description:** During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of phone service due to weather or natural disasters.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 198 | 4.18 | 4.22 |
| 2 | No | 4,503 | 95.14 | 95.31 |
| 7 | Don't know/Not Sure | 17 | 0.36 | 0.25 |
| 9 | Refused | 15 | 0.32 | 0.21 |

## Respondents Sex

**Section:** 12.20 Demographics
**Column:** 146
**Prologue:**

**Type:** Num
**SAS Variable Name:** SEX

**Description:** Indicate sex of respondent.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Male—Go to Section 13.01 DRNKANY4 | 1,723 | 36.40 | 49.56 |
| 2 | Female—If 11.01, AGE, is 45 or older go to Section 13.01 DRNKANY4 | 3,010 | 63.60 | 50.44 |

## Pregnancy Status

**Section:** 12.21 Demographics
**Column:** 147
**Prologue:**

**Type:** Num
**SAS Variable Name:** PREGNANT

**Description:** To your knowledge, are you now pregnant?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 31 | 3.47 | 6.82 |
| 2 | No | 856 | 95.86 | 92.68 |
| 7 | Don't know/Not Sure | 3 | 0.34 | 0.46 |
| 9 | Refused | 3 | 0.34 | 0.04 |
| BLANK | Not asked or Missing | 3,840 | | |
| | Notes: Section 12.20, SEX, is coded 1; or Section 12.01, AGE, is greater than 44 | | | |

## Drink any alcoholic beverages in past 30 days

**Section:** 13.1  Alcohol Consumption
**Column:** 148
**Prologue:**

**Type:** Num
**SAS Variable Name:** DRNKANY4

**Description:** During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 2,285 | 48.46 | 53.43 |
| 2 | No—Go to Section 14.01 QLACTLM2 | 2,411 | 51.13 | 46.30 |
| 7 | Don't know/Not Sure—Go to Section 14.01 QLACTLM2 | 5 | 0.11 | 0.17 |
| 9 | Refused—Go to Section 14.01 QLACTLM2 | 14 | 0.30 | 0.11 |
| BLANK | Not asked or Missing | 18 | | |

## Days in past 30 had alcoholic beverage

**Section:** 13.2  Alcohol Consumption
**Column:** 149-151
**Prologue:**

**Type:** Num
**SAS Variable Name:** ALCDAY4

**Description:** During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Days per week | 862 | 37.74 | 34.83 |
| | Notes: 1_ _ = Days per week | | | |
| 201 – 299 | Days in past 30 | 1,307 | 57.22 | 61.56 |
| | Notes: 2_ _ = Days in past 30 | | | |
| 777 | Don't know/Not sure | 51 | 2.23 | 1.73 |
| 888 | No drinks in past 30 days—Go to Section 14.01 QLACTLM2 | 48 | 2.10 | 1.25 |
| 999 | Refused | 16 | 0.70 | 0.63 |
| BLANK | Not asked or Missing | 2,449 | | |
| | Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9 | | | |

## Avg alcoholic drinks per day in past 30

**Section:** 13.3  Alcohol Consumption | **Type:** Num
**Column:** 152-153 | **SAS Variable Name:** AVEDRNK2
**Prologue:**
**Description:** One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 76 | Number of drinks | 2,150 | 96.50 | 97.11 |
| | Notes: _ _ Number of drinks | | | |
| 77 | Don't know/Not sure | 56 | 2.51 | 1.77 |
| 99 | Refused | 22 | 0.99 | 1.11 |
| BLANK | Not asked or Missing | 2,505 | | |
| | Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888, 999, or Missing | | | |

## Binge Drinking

**Section:** 13.4  Alcohol Consumption | **Type:** Num
**Column:** 154-155 | **SAS Variable Name:** DRNK3GE5
**Prologue:**
**Description:** Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 76 | Number of Times | 519 | 23.32 | 27.91 |
| 88 | None | 1,642 | 73.76 | 69.39 |
| 77 | Don't know/Not Sure | 46 | 2.07 | 1.67 |
| 99 | Refused | 19 | 0.85 | 1.04 |
| BLANK | Not asked or Missing | 2,507 | | |

## Most drinks on single occasion past 30 days

**Section:** 13.5  Alcohol Consumption | **Type:** Num
**Column:** 156-157 | **SAS Variable Name:** MAXDRNKS
**Prologue:**
**Description:** During the past 30 days, what is the largest number of drinks you had on any occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 76 | Number of drinks | 2,126 | 95.59 | 95.83 |
| 77 | Don't know/Not sure | 68 | 3.06 | 2.82 |
| 99 | Refused | 30 | 1.35 | 1.36 |
| BLANK | Not asked or Missing | 2,509 | | |

## Activity Limitation Due to Health Problems

**Section:** 14.1  Disability | **Type:** Num
**Column:** 158 | **SAS Variable Name:** QLACTLM2
**Prologue:** The following questions are about health problems or impairments you may have.
**Description:** Are you limited in any way in any activities because of physical, mental, or emotional problems?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,122 | 24.02 | 18.33 |
| 2 | No | 3,518 | 75.30 | 81.16 |
| 7 | Don't know/Not Sure | 26 | 0.56 | 0.45 |
| 9 | Refused | 6 | 0.13 | 0.05 |
| BLANK | Not asked or Missing | 61 | | |

## Health Problems Requiring Special Equipment

**Section:** 14.2  Disability                                                                  **Type:** Num
**Column:** 159                                                              **SAS Variable Name:** USEEQUIP
**Prologue:**
**Description:** Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?  (Include occasional use or use in certain circumstances.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 464 | 9.95 | 6.48 |
| 2 | No | 4,196 | 89.97 | 93.46 |
| 7 | Don't know/Not Sure | 2 | 0.04 | 0.03 |
| 9 | Refused | 2 | 0.04 | 0.03 |
| BLANK | Not asked or Missing | 69 | | |

## Had Pain, Aching, Stiffness, Swelling

**Section:** 15.1  Arthritis Burden                                                            **Type:** Num
**Column:** 160                                                              **SAS Variable Name:** PAIN30DY
**Prologue:** The next questions refer to your joints.  Please do not include the back or neck.
**Description:** During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 2,131 | 45.86 | 39.84 |
| 2 | No—Go to Section 15.04 HAVARTH2 | 2,501 | 53.82 | 59.99 |
| 7 | Don't know/Not sure—Go to Section 15.04 HAVARTH2 | 11 | 0.24 | 0.12 |
| 9 | Refused—Go to Section 15.04 HAVARTH2 | 4 | 0.09 | 0.05 |
| BLANK | Not asked or Missing—Go to Section 15.04 HAVARTH2 | 86 | | |

## Joint Symptoms Three Months Old

**Section:** 15.2  Arthritis Burden                                                            **Type:** Num
**Column:** 161                                                              **SAS Variable Name:** JOINTSYM
**Prologue:**
**Description:** Did your joint symptoms first begin more than 3 months ago?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,790 | 84.00 | 79.18 |
| 2 | No—Go to Section 15.04 HAVARTH2 | 317 | 14.88 | 20.22 |
| 7 | Don't know/Not sure—Go to Section 15.04 HAVARTH2 | 24 | 1.13 | 0.60 |
| BLANK | Not asked or Missing—Go to Section 15.04 HAVARTH2 | 2,602 | | |
| | Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing | | | |

## Treated For Joint Symptoms

**Section:** 15.3  Arthritis Burden                                                            **Type:** Num
**Column:** 162                                                              **SAS Variable Name:** JOINTRT2
**Prologue:**
**Description:** Have you ever seen a doctor or other health professional for these joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,358 | 75.87 | 71.81 |
| 2 | No | 432 | 24.13 | 28.19 |
| BLANK | Not asked or Missing | 2,943 | | |
| | Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing; or Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing | | | |

## Told Have Arthritis

**Section:** 15.4  Arthritis Burden
**Column:** 163
**Prologue:**
**Type:** Num
**SAS Variable Name:** HAVARTH2

**Description:** Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?  (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,702 | 36.64 | 25.17 |
| 2 | No | 2,922 | 62.91 | 74.41 |
| 7 | Don't know/Not Sure | 19 | 0.41 | 0.41 |
| 9 | Refused | 2 | 0.04 | 0.01 |
| BLANK | Not asked or Missing | 88 | | |

## Limited Because of Joint Symptoms

**Section:** 15.5  Arthritis Burden
**Column:** 164
**Prologue:**
**Type:** Num
**SAS Variable Name:** LMTJOIN2

**Description:** Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?  (Note:  If a respondent question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 803 | 34.46 | 31.33 |
| 2 | No | 1,516 | 65.06 | 67.59 |
| 7 | Don't know/Not sure | 10 | 0.43 | 0.43 |
| 9 | Refused | 1 | 0.04 | 0.65 |
| BLANK | Not asked or Missing | 2,403 | | |

Notes: Section 15.01, PAIN30DY, is coded 2, 7, 9, or Missing and
Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

## How Often Do You Drink Fruit Juices

**Section:** 16.1  Fruits & Vegetables
**Column:** 165-167
**Prologue:**
**Type:** Num
**SAS Variable Name:** FRUITJUI

**Description:** How often do you drink fruit juices such as orange, grapefruit, or tomato?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Per day | 1,542 | 33.38 | 33.53 |
| 201 – 299 | Per week | 1,603 | 34.70 | 36.81 |
| 301 – 399 | Per month | 661 | 14.31 | 14.66 |
| 401 – 499 | Per year | 100 | 2.16 | 1.49 |
| 555 | Never | 627 | 13.57 | 11.85 |
| 777 | Don't know/Not sure | 79 | 1.71 | 1.59 |
| 999 | Refused | 7 | 0.15 | 0.07 |
| BLANK | Not asked or Missing | 114 | | |

## How Often Do You Eat Fruit

**Section:** 16.2  Fruits & Vegetables
**Column:** 168-170
**Prologue:**

**Type:** Num
**SAS Variable Name:** FRUIT

**Description:** Not counting juice, how often do you eat fruit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 101 – 199 | Per day | 2,149 | 46.56 | 44.08 |
| 201 – 299 | Per week | 1,807 | 39.15 | 41.08 |
| 301 – 399 | Per month | 430 | 9.32 | 9.59 |
| 401 – 499 | Per year | 26 | 0.56 | 0.44 |
| 555 | Never | 135 | 2.92 | 3.26 |
| 777 | Don't know/Not sure | 61 | 1.32 | 1.28 |
| 999 | Refused | 8 | 0.17 | 0.26 |
| BLANK | Not asked or Missing | 117 | | |

## How Often Do You Eat Green Salad

**Section:** 16.3  Fruits & Vegetables
**Column:** 171-173
**Prologue:**

**Type:** Num
**SAS Variable Name:** GREENSAL

**Description:** How often do you eat green salad?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 101 – 199 | Per day | 1,154 | 25.02 | 22.58 |
| 201 – 299 | Per week | 2,726 | 59.09 | 61.07 |
| 301 – 399 | Per month | 472 | 10.23 | 11.59 |
| 401 – 499 | Per year | 26 | 0.56 | 0.33 |
| 555 | Never | 177 | 3.84 | 3.49 |
| 777 | Don't know/Not sure | 51 | 1.11 | 0.70 |
| 999 | Refused | 7 | 0.15 | 0.24 |
| BLANK | Not asked or Missing | 120 | | |

## How Often Do You Eat Potatoes

**Section:** 16.4  Fruits & Vegetables
**Column:** 174-176
**Prologue:**

**Type:** Num
**SAS Variable Name:** POTATOES

**Description:** How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 101 – 199 | Per day | 328 | 7.11 | 6.52 |
| 201 – 299 | Per week | 2,685 | 58.23 | 59.35 |
| 301 – 399 | Per month | 1,090 | 23.64 | 23.38 |
| 401 – 499 | Per year | 86 | 1.87 | 2.50 |
| 555 | Never | 350 | 7.59 | 6.15 |
| 777 | Don't know/Not sure | 67 | 1.45 | 1.81 |
| 999 | Refused | 5 | 0.11 | 0.30 |
| BLANK | Not asked or Missing | 122 | | |

## How Often Do You Eat Carrots

    **Section:** 16.5  Fruits & Vegetables                         **Type:** Num

    **Column:** 177-179                                  **SAS Variable Name:** CARROTS

    **Prologue:**

**Description:** How often do you eat carrots?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Per day | 517 | 11.22 | 10.61 |
| 201 – 299 | Per week | 2,303 | 49.99 | 48.21 |
| 301 – 399 | Per month | 1,144 | 24.83 | 26.18 |
| 401 – 499 | Per year | 93 | 2.02 | 2.09 |
| 555 | Never | 445 | 9.66 | 11.06 |
| 777 | Don't know/Not sure | 99 | 2.15 | 1.63 |
| 999 | Refused | 6 | 0.13 | 0.23 |
| BLANK | Not asked or Missing | 126 | | |

## Servings of Vegetables

    **Section:** 16.6  Fruits & Vegetables                         **Type:** Num

    **Column:** 180-182                                  **SAS Variable Name:** VEGETABL

    **Prologue:**

**Description:** Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?   [Example:  A serving of vegetables at both lunch and dinner would be two servings.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Servings per day | 2,908 | 63.24 | 61.11 |
| 201 – 299 | Servings per week | 1,275 | 27.73 | 28.87 |
| 301 – 399 | Servings per month | 202 | 4.39 | 5.50 |
| 401 – 499 | Servings per year | 7 | 0.15 | 0.25 |
| 555 | Never | 93 | 2.02 | 1.87 |
| 777 | Don't know/Not sure | 106 | 2.31 | 2.14 |
| 999 | Refused | 7 | 0.15 | 0.26 |
| BLANK | Not asked or Missing | 135 | | |

## Physical Activity at Work

    **Section:** 17.1  Physical Activity                           **Type:** Num

    **Column:** 183                                       **SAS Variable Name:** JOBACTIV

    **Prologue:**

**Description:** When you are at work, which of the following best describes what you do?  (If respondent has multiple jobs, include all jobs.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Mostly sitting or standing | 1,351 | 63.58 | 63.15 |
| 2 | Mostly walking | 490 | 23.06 | 22.29 |
| 3 | Mostly heavy labor or physically demanding work | 255 | 12.00 | 13.26 |
| 7 | Don't know/Not Sure | 26 | 1.22 | 1.28 |
| 9 | Refused | 3 | 0.14 | 0.02 |
| BLANK | Not asked or Missing | 2,608 | | |
| | Notes: Section 12.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing | | | |

**Moderate Physical Activity**

> **Section:** 17.2  Physical Activity
>
> **Column:** 184
>
> **Prologue:** We are interested in two types of physical activity: vigorous and moderate.  Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.
>
> **Description:** Now, thinking about the moderate activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

**Type:** Num

**SAS Variable Name:** MODPACT

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 3,841 | 83.86 | 85.83 |
| 2 | No—Go to Section 17.05 VIGPACT | 715 | 15.61 | 13.79 |
| 7 | Don't know/Not Sure—Go to Section 17.05 VIGPACT | 20 | 0.44 | 0.36 |
| 9 | Refused—Go to Section 17.05 VIGPACT | 4 | 0.09 | 0.01 |
| BLANK | Not asked or Missing—Go to Section 17.05 VIGPACT | 153 | | |

**Moderate Physical Activity Days**

> **Section:** 17.3  Physical Activity
>
> **Column:** 185-186
>
> **Prologue:**
>
> **Description:** How many days per week do you do these moderate activities for at least 10 minutes at a time?

**Type:** Num

**SAS Variable Name:** MODPADAY

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 07 | Days per week | 3,805 | 99.19 | 98.87 |
| 88 | Do not do any moderate physical activity for at least 10 minutes at a time—Go to Section 17.05 VIGPACT | 10 | 0.26 | 0.27 |
| 77 | Don't know/Not sure—Go to Section 17.05 VIGPACT | 17 | 0.44 | 0.80 |
| 99 | Refused—Go to Section 17.05 VIGPACT | 4 | 0.10 | 0.07 |
| BLANK | Not asked or Missing—Go to Section 17.05 VIGPACT | 897 | | |

Notes: Section 17.02, MODPACT, is coded 2, 7, 9 or Missing

**Moderate Physical Activity Time**

> **Section:** 17.4  Physical Activity
>
> **Column:** 187-189
>
> **Prologue:**
>
> **Description:** On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

**Type:** Num

**SAS Variable Name:** MODPATIM

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 10 – 759 | Hours and minutes per day | 3,672 | 96.61 | 97.44 |
| 777 | Don't know/Not sure | 126 | 3.31 | 2.51 |
| 999 | Refused | 3 | 0.08 | 0.04 |
| BLANK | Not asked or Missing | 932 | | |

Notes: Section 17.02, MODPACT, is coded 2, 7, 9 or Missing; or Section 17.03, MODPADAY is coded 77, 88, 99, or Missing

**Vigorous Physical Activity**

**Section:** 17.5  Physical Activity

**Column:** 190

**Prologue:**

**Description:** Now, thinking about the vigorous activities you do [fill in "when you are not working" if "employed" or "self-employed"] in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

**Type:** Num

**SAS Variable Name:** VIGPACT

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,959 | 42.95 | 50.69 |
| 2 | No—Go to Section 18.01 HIVTST5 | 2,578 | 56.52 | 48.92 |
| 7 | Don't know/Not sure—Go to Section 18.01 HIVTST5 | 17 | 0.37 | 0.31 |
| 9 | Refused—Go to Section 18.01 HIVTST5 | 7 | 0.15 | 0.08 |
| BLANK | Not asked or Missing—Go to Section 18.01 HIVTST5 | 172 | | |

**Vigorous Physical Activity Days**

**Section:** 17.6  Physical Activity

**Column:** 191-192

**Prologue:**

**Description:** How many days per week do you do these vigorous activities for at least 10 minutes at a time?

**Type:** Num

**SAS Variable Name:** VIGPADAY

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 07 | Days per week | 1,933 | 98.77 | 98.88 |
| 88 | Do not do any vigorous physical activity for at least 10 minutes at a time—Go to Section 18.01 HIVTST5 | 10 | 0.51 | 0.58 |
| 77 | Don't know/Not sure—Go to Section 18.01 HIVTST5 | 13 | 0.66 | 0.49 |
| 99 | Refused—Go to Section 18.01 HIVTST5 | 1 | 0.05 | 0.05 |
| BLANK | Not asked or Missing—Go to Section 18.01 HIVTST5 | 2,776 | | |

Notes: Section 17.05, VIGPACT, is coded 2, 7, 9 or Missing

**Vigorous Physical Activity Time**

**Section:** 17.7  Physical Activity

**Column:** 193-195

**Prologue:**

**Description:** On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

**Type:** Num

**SAS Variable Name:** VIGPATIM

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 10 – 759 | Hours and minutes per day | 1,879 | 97.36 | 98.95 |
| 777 | Don't know/Not sure | 47 | 2.44 | 0.98 |
| 999 | Refused | 4 | 0.21 | 0.07 |
| BLANK | Not asked or Missing | 2,803 | | |

Notes: Section 17.05, VIGPACT, is coded 2, 7, 9 or Missing; or
Section 17.06, VIGPADAY is coded 77, 88, 99, or Missing

## Ever tested HIV

**Section:** 18.1 HIV/AIDS  **Type:** Num

**Column:** 196  **SAS Variable Name:** HIVTST5

**Prologue:**

**Description:** Have you ever been tested for HIV?  Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,169 | 37.86 | 39.14 |
| 2 | No—Go to Section 19.01 EMTSUPRT | 1,868 | 60.49 | 59.08 |
| 7 | Don't know/Not Sure—Go to Section 19.01 EMTSUPRT | 51 | 1.65 | 1.78 |
| BLANK | Not asked or Missing—Go to Section 19.01 EMTSUPRT | 1,645 | | |

Notes: Section 12.01, AGE, is greater than 64

## Month and Year of Last HIV Test

**Section:** 18.2 HIV/AIDS  **Type:** Num

**Column:** 197-202  **SAS Variable Name:** HIVTSTD2

**Prologue:**

**Description:** Not including blood donations, in what month and year was your last HIV test?  (If response is before January 1985, code "777777".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 11985 – 122008 | Code month and year | 1,059 | 90.59 | 93.95 |
| | Notes: _ _/_ _ _ _  month and year | | | |
| 777777 | Don't know/Not sure | 100 | 8.55 | 5.75 |
| 999999 | Refused | 10 | 0.86 | 0.30 |
| BLANK | Not asked or Missing | 3,564 | | |

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing

## Location of last HIV test

**Section:** 18.3 HIV/AIDS  **Type:** Num

**Column:** 203-204  **SAS Variable Name:** WHRTST8

**Prologue:**

**Description:** Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Private doctor or HMO | 454 | 38.87 | 45.77 |
| 2 | Counseling and testing site | 52 | 4.45 | 3.69 |
| 3 | Hospital | 189 | 16.18 | 15.30 |
| 4 | Clinic | 284 | 24.32 | 18.99 |
| 5 | Jail or prison (or other correctional facility) | 13 | 1.11 | 1.14 |
| 6 | Drug treatment facility | 2 | 0.17 | 0.08 |
| 7 | At home | 52 | 4.45 | 6.26 |
| 8 | Somewhere else | 103 | 8.82 | 7.65 |
| 77 | Don't know/Not sure | 16 | 1.37 | 0.72 |
| 99 | Refused | 3 | 0.26 | 0.40 |
| BLANK | Not asked or Missing | 3,565 | | |

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing

**Was your last HIV test a rapid test?**

**Section:** 18.4  HIV/AIDS  **Type:** Num

**Column:** 205  **SAS Variable Name:** HIVRDTST

**Prologue:**

**Description:** Was it a rapid test where you could get your results within a couple of hours?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 45 | 16.98 | 20.13 |
| 2 | No | 202 | 76.23 | 75.85 |
| 7 | Don't know/Not sure | 11 | 4.15 | 2.65 |
| 9 | Refused | 7 | 2.64 | 1.37 |
| BLANK | Not asked or Missing | 4,468 | | |

Notes: Section 12.01, AGE, is greater than 64; or Section 18.01, HIVTST5, is coded 2, 7, 9, or Missing; or Section 18.02, HIVTSTD2, not within the last 12 months

**How often get emotional support needed**

**Section:** 19.1  Emotional Support and Life Satisfaction  **Type:** Num

**Column:** 206  **SAS Variable Name:** EMTSUPRT

**Prologue:**

**Description:** How often do you get the social and emotional support you need?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Always | 2,175 | 48.07 | 50.38 |
| 2 | Usually | 1,273 | 28.13 | 29.14 |
| 3 | Sometimes | 526 | 11.62 | 9.92 |
| 4 | Rarely | 224 | 4.95 | 5.19 |
| 5 | Never | 247 | 5.46 | 4.25 |
| 7 | Don't know/Not sure | 71 | 1.57 | 1.06 |
| 9 | Refused | 9 | 0.20 | 0.07 |
| BLANK | Not asked or Missing | 208 | | |

**Satisfaction with life**

**Section:** 19.2  Emotional Support and Life Satisfaction  **Type:** Num

**Column:** 207  **SAS Variable Name:** LSATISFY

**Prologue:**

**Description:** In general, how satisfied are you with your life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Very satisfied | 2,130 | 47.12 | 48.37 |
| 2 | Satisfied | 2,097 | 46.39 | 46.28 |
| 3 | Dissatisfied | 195 | 4.31 | 3.28 |
| 4 | Very dissatisfied | 52 | 1.15 | 1.18 |
| 7 | Don't know/Not sure | 39 | 0.86 | 0.74 |
| 9 | Refused | 7 | 0.15 | 0.14 |
| BLANK | Not asked or Missing | 213 | | |

**Diarrhea past 30 days?**

>  **Section:** 20.1  Gastrointestinal Disease  **Type:** Num
>  **Column:** 208  **SAS Variable Name:** DIAR30DY
>  **Prologue:**

**Description:** In the past 30 days, did you have diarrhea that began within the 30 day period? Diarrhea is defined as 3 or more loose stools or bowel movements in a 24-hour period.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 746 | 16.64 | 15.94 |
| 2 | No—Go to Core Closing Statement | 3,718 | 82.92 | 83.90 |
| 7 | Don't know/Not Sure—Go to Core Closing Statement | 20 | 0.45 | 0.16 |
| BLANK | Not asked or Missing—Go to Core Closing Statement | 249 | | |

**Visit health pro for this diarrheal disease?**

>  **Section:** 20.2  Gastrointestinal Disease  **Type:** Num
>  **Column:** 209  **SAS Variable Name:** DIADRVST
>  **Prologue:**

**Description:** Did you visit a doctor, nurse or other health professional for this diarrheal illness?  (Do not answer "Yes" if you just had telephone contact with a health professional.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 110 | 14.75 | 11.89 |
| 2 | No—Go to Core Closing Statement | 635 | 85.12 | 87.85 |
| 9 | Refused—Go to Core Closing Statement | 1 | 0.13 | 0.26 |
| BLANK | Not asked or Missing—Go to Core Closing Statement | 3,987 | | |
| | Notes: Section 20.01, DIAR30DY, is coded 2, 7, 9, or Missing | | | |

**Give stool sample to health pro?**

>  **Section:** 20.3  Gastrointestinal Disease  **Type:** Num
>  **Column:** 210  **SAS Variable Name:** DIARSMP
>  **Prologue:**

**Description:** When you visited your health care professional, did you provide a stool sample for testing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes—Go to Core Closing Statement | 46 | 41.82 | 39.59 |
| 2 | No—Go to Core Closing Statement | 63 | 57.27 | 60.29 |
| 7 | Don't know/Not Sure—Go to Core Closing Statement | 1 | 0.91 | 0.12 |
| BLANK | Not asked or Missing—Go to Core Closing Statement | 4,623 | | |
| | Notes: Section 20.01, DIAR30DY, is coded 2, 7, 9, or Missing; or Section 20.02, DIADRVST, is coded 2, 7, 9, or Missing | | | |

**Birth date of child**

>  **Module:** 1.1  Random Child Selection  **Type:** Char
>  **Column:** 226-231  **SAS Variable Name:** RCSBIRTH
>  **Prologue:**

**Description:** What is the birth month and year of the "Xth" child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 777777 | Don't know/Not sure | 20 | 1.48 | 2.14 |
| 999999 | Refused | 47 | 3.48 | 3.55 |
| BLANK | Not asked or Missing | 3,383 | | |
| | Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing | | | |
| HIDDEN | Data not displayed | 1,283 | 95.04 | 94.31 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Gender of child**

**Module:** 1.2 Random Child Selection            **Type:** Num
**Column:** 232            **SAS Variable Name:** RCSGENDR
**Prologue:**
**Description:** Is the child a boy or a girl?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Boy | 707 | 53.40 | 55.87 |
| 2 | Girl | 600 | 45.32 | 43.11 |
| 9 | Refused | 17 | 1.28 | 1.02 |
| BLANK | Not asked or Missing | 3,409 | | |
| | Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing | | | |

**Ethnicity of child**

**Module:** 1.3 Random Child Selection            **Type:** Num
**Column:** 233            **SAS Variable Name:** RCHISLAT
**Prologue:**
**Description:** Is the child Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 585 | 44.28 | 36.59 |
| 2 | No | 715 | 54.13 | 62.53 |
| 7 | Don't know/Not Sure | 8 | 0.61 | 0.22 |
| 9 | Refused | 13 | 0.98 | 0.67 |
| BLANK | Not asked or Missing | 3,412 | | |
| | Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing | | | |

**Race of child (multiple possible)**

**Module:** 1.4 Random Child Selection            **Type:** Char
**Column:** 234-239            **SAS Variable Name:** RCSRACE
**Prologue:**
**Description:** Which one or more of the following would you say is the race of the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | Don't know/Not sure | 14 | 1.06 | 0.47 |
| 9 | Refused | 24 | 1.82 | 3.13 |
| BLANK | Not asked or Missing | 3,413 | | |
| | Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing | | | |
| HIDDEN | Data Not Displayed | 1,282 | 97.12 | 96.40 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Race of child**

    **Module:** 1.5  Random Child Selection                **Type:** Num

    **Column:** 240                                      **SAS Variable Name:** RCSBRACE

    **Prologue:**

**Description:** Which one of these groups would you say best represents the child's race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White | 13 | 43.33 | 56.79 |
| 2 | Black or African American | 4 | 13.33 | 8.32 |
| 3 | Asian | 1 | 3.33 | 1.39 |
| 4 | Native Hawaiian or other Pacific Islander | 1 | 3.33 | 0.46 |
| 5 | American Indian or Alaskan Native | 1 | 3.33 | 0.52 |
| 6 | Other | 6 | 20.00 | 11.91 |
| 7 | Don't know/Not sure | 4 | 13.33 | 20.60 |
| BLANK | Not asked or Missing | 4,703 | | |

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing;
or Module 01.04, RCSRACE, is coded 1, 2, 3, 4, 5, 6, 7, or 9

**Relationship to child**

    **Module:** 1.6  Random Child Selection                **Type:** Num

    **Column:** 241                                      **SAS Variable Name:** RCSRLTN2

    **Prologue:**

**Description:** How are you related to the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Parent (include biologic, step, or adoptive parent) | 1,118 | 84.70 | 86.72 |
| 2 | Grandparent | 96 | 7.27 | 3.86 |
| 3 | Foster parent or guardian | 14 | 1.06 | 0.73 |
| 4 | Sibling (include biologic, step, and adoptive sibling) | 35 | 2.65 | 4.46 |
| 5 | Other relative | 34 | 2.58 | 2.75 |
| 6 | Not related in any way | 14 | 1.06 | 1.10 |
| 7 | Don't know/Not sure | 2 | 0.15 | 0.05 |
| 9 | Refused | 7 | 0.53 | 0.33 |
| BLANK | Not asked or Missing | 3,413 | | |

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing

**Hlth pro ever said child has asthma**

    **Module:** 2.1  Childhood Asthma Prevalence            **Type:** Num

    **Column:** 242                                      **SAS Variable Name:** CASTHDX2

    **Prologue:**

**Description:** Has a doctor or other health professional EVER said that the child has asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 166 | 12.40 | 12.80 |
| 2 | No—Go to next module | 1,167 | 87.15 | 86.40 |
| 7 | Don't know/Not Sure—Go to next module | 6 | 0.45 | 0.80 |
| BLANK | Not asked or Missing | 3,394 | | |

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing

**Child still have asthma?**

**Module:** 2.2  Childhood Asthma Prevalence      **Type:** Num

**Column:** 243      **SAS Variable Name:** CASTHNO2

**Prologue:**

**Description:** Does the child still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 102 | 61.45 | 58.25 |
| 2 | No | 62 | 37.35 | 41.43 |
| 7 | Don't know/Not Sure | 2 | 1.20 | 0.32 |
| BLANK | Not asked or Missing | 4,567 | | |

Notes: Section 12.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 02.01, CASTHDX2, is coded 2, 7, 9, or Missing

**Age When Told Diabetic**

**Module:** 3.1  Diabetes      **Type:** Num

**Column:** 244-245      **SAS Variable Name:** DIABAGE2

**Prologue:**

**Description:** How old were you when you were told you have diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 97 | Age in years  [97 = 97 and older] | 524 | 97.22 | 98.34 |
| | Notes: _ _ Code age in years, 97 = 97 or older | | | |
| 98 | Don't know/Not sure | 14 | 2.60 | 1.51 |
| 99 | Refused | 1 | 0.19 | 0.15 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

**Now Taking Insulin**

**Module:** 3.2  Diabetes      **Type:** Num

**Column:** 246      **SAS Variable Name:** INSULIN

**Prologue:**

**Description:** Are you now taking insulin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 124 | 23.01 | 23.20 |
| 2 | No | 415 | 76.99 | 76.80 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

**Now Taking Diabetes Pills**

**Module:** 3.3  Diabetes      **Type:** Num

**Column:** 247      **SAS Variable Name:** DIABPILL

**Prologue:**

**Description:** Are you taking diabetes pills?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 375 | 69.57 | 57.42 |
| 2 | No | 162 | 30.06 | 41.23 |
| 7 | Don't know/Not sure | 2 | 0.37 | 1.35 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

## How Often Check Blood for Glucose

**Module:** 3.4  Diabetes        **Type:** Num

**Column:** 248-250        **SAS Variable Name:** BLDSUGAR

**Prologue:**

**Description:** About how often do you check your blood for glucose or sugar?  Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Times per day | 332 | 61.60 | 63.77 |
| | Notes: 1 _ _ Times per day | | | |
| 201 – 299 | Times per week | 87 | 16.14 | 17.10 |
| | Notes: 2 _ _ Times per week | | | |
| 301 – 399 | Times per month | 39 | 7.24 | 4.42 |
| | Notes: 3 _ _ Times per month | | | |
| 401 – 499 | Times per year | 18 | 3.34 | 3.84 |
| | Notes: 4 _ _ Times per year | | | |
| 777 | Don't know/Not sure | 13 | 2.41 | 1.26 |
| 888 | Never | 50 | 9.28 | 9.61 |
| BLANK | Not asked or Missing | 4,194 | | |
| | Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing | | | |

## How Often Check Feet for Sores or Irritations

**Module:** 3.5  Diabetes        **Type:** Num

**Column:** 251-253        **SAS Variable Name:** FEETCHK2

**Prologue:**

**Description:** About how often do you check your feet for any sores or irritations?  Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 101 – 199 | Times per day | 354 | 65.68 | 58.37 |
| | Notes: 1 _ _ Times per day | | | |
| 201 – 299 | Times per week | 87 | 16.14 | 16.00 |
| | Notes: 2 _ _ Times per week | | | |
| 301 – 399 | Times per month | 20 | 3.71 | 5.56 |
| | Notes: 3 _ _ Times per month | | | |
| 401 – 499 | Times per year | 13 | 2.41 | 1.74 |
| | Notes: 4 _ _ Times per year | | | |
| 555 | No feet | 8 | 1.48 | 0.60 |
| 777 | Don't know/Not sure | 10 | 1.86 | 2.05 |
| 888 | Never | 47 | 8.72 | 15.69 |
| BLANK | Not asked or Missing | 4,194 | | |
| | Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing | | | |

## Ever Had Feet Sores or Irritations Lasting More Than Four Weeks

**Module:** 3.6  Diabetes        **Type:** Num

**Column:** 254        **SAS Variable Name:** FEETSORE

**Prologue:**

**Description:** Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 54 | 10.02 | 10.20 |
| 2 | No | 485 | 89.98 | 89.80 |
| BLANK | Not asked or Missing | 4,194 | | |
| | Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing | | | |

**Times Seen Health Professional for Diabetes**

    **Module:** 3.7  Diabetes                                               **Type:** Num

    **Column:** 255-256                                            **SAS Variable Name:** DOCTDIAB

    **Prologue:**

**Description:** About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 76 | Number of times  [76=76 or more]<br>Notes: _ _ Number of times, 76=76 or more | 435 | 80.71 | 76.91 |
| 88 | None | 87 | 16.14 | 19.75 |
| 77 | Don't know/Not sure | 17 | 3.15 | 3.34 |
| BLANK | Not asked or Missing<br>Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing | 4,194 | | |

**Times Checked for Glycosylated Hemoglobin**

    **Module:** 3.8  Diabetes                                               **Type:** Num

    **Column:** 257-258                                            **SAS Variable Name:** CHKHEMO3

    **Prologue:**

**Description:** A test for "A one C" measures the average level of blood sugar over the past three months.  About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for  "A one C"?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 76 | Number of times  [76=76 or more]<br>Notes: _ _ Number of times, 76 = 76 or more | 379 | 70.32 | 71.32 |
| 88 | None | 59 | 10.95 | 14.27 |
| 98 | Never heard of "A one C" test | 58 | 10.76 | 8.85 |
| 77 | Don't know/Not sure | 43 | 7.98 | 5.57 |
| BLANK | Not asked or Missing<br>Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing | 4,194 | | |

**Times Feet Check for Sores/irritations**

    **Module:** 3.9  Diabetes                                               **Type:** Num

    **Column:** 259-260                                            **SAS Variable Name:** FEETCHK

    **Prologue:**

**Description:** About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 76 | Number of times  [76=76 or more]<br>Notes: _ _ Number of times, 76=76 or more | 352 | 66.29 | 62.20 |
| 88 | None | 170 | 32.02 | 36.06 |
| 77 | Don't know/Not sure | 9 | 1.69 | 1.74 |
| BLANK | Not asked or Missing<br>Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 3.05, FEETCHK2, is coded 555 | 4,202 | | |

## Last Eye Exam Where Pupils Were Dilated

**Module:** 3.10 Diabetes      **Type:** Num

**Column:** 261      **SAS Variable Name:** EYEEXAM

**Prologue:**

**Description:** When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Within the past month (anytime less than 1 month ago) | 126 | 23.38 | 19.83 |
| 2 | Within the past year (1 month but less than 12 months ago) | 260 | 48.24 | 50.06 |
| 3 | Within the past 2 years (1 year but less than 2 years ago) | 65 | 12.06 | 12.98 |
| 4 | 2 or more years ago | 58 | 10.76 | 8.18 |
| 7 | Don't know/Not sure | 5 | 0.93 | 2.41 |
| 8 | Never | 24 | 4.45 | 6.44 |
| 9 | Refused | 1 | 0.19 | 0.09 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

## Ever Told Diabetes Has Affected Eyes

**Module:** 3.11 Diabetes      **Type:** Num

**Column:** 262      **SAS Variable Name:** DIABEYE

**Prologue:**

**Description:** Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 124 | 23.01 | 22.68 |
| 2 | No | 407 | 75.51 | 74.51 |
| 7 | Don't know/Not sure | 8 | 1.48 | 2.81 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

## Ever Taken Class in Managing Diabetes

**Module:** 3.12 Diabetes      **Type:** Num

**Column:** 263      **SAS Variable Name:** DIABEDU

**Prologue:**

**Description:** Have you ever taken a course or class in how to manage your diabetes yourself?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 293 | 54.36 | 55.25 |
| 2 | No | 246 | 45.64 | 44.75 |
| BLANK | Not asked or Missing | 4,194 | | |

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

## Difficulty recognizing friend across street

**Module:** 4.1 Visual Impairment and Access to Eye Care      **Type:** Num

**Column:** 264      **SAS Variable Name:** VIDFCLT2

**Prologue:**

**Description:** How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

Notes: Section 12.01, AGE, is less than 40

**Difficulty reading typed text**
>> **Module:** 4.2  Visual Impairment and Access to Eye Care                        **Type:** Num
>> **Column:** 265                                                          **SAS Variable Name:** VIREDIF2
>> **Prologue:**

**Description:** How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone?  Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; | | | |

**Last time visited eye care provider**
>> **Module:** 4.3  Visual Impairment and Access to Eye Care                        **Type:** Num
>> **Column:** 266                                                          **SAS Variable Name:** VIPRFVS2
>> **Prologue:**

**Description:** When was the last time you had your eyes examined by any doctor or eye care provider?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; | | | |

**Reason did not use eye doc past 12 mos**
>> **Module:** 4.4  Visual Impairment and Access to Eye Care                        **Type:** Num
>> **Column:** 267-268                                                      **SAS Variable Name:** VINOCRE2
>> **Prologue:**

**Description:** What is the main reason you have not visited an eye care professional in the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded 1, 2, or 8; | | | |

**When last eyexam**
>> **Module:** 4.5  Visual Impairment and Access to Eye Care                        **Type:** Num
>> **Column:** 269                                                          **SAS Variable Name:** VIEYEXM2
>> **Prologue:**

**Description:** When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 3.10, EYEEXAM, is coded 1, 2, 3, 4, 7, 8 or 9; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; | | | |

**Eye care health insurance**

    **Module:** 4.6  Visual Impairment and Access to Eye Care                              **Type:** Num

    **Column:** 270                                                **SAS Variable Name:** VIINSUR2

    **Prologue:**

**Description:** Do you have any kind of health insurance coverage for eye care?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; | | | |

**Hlth care pro said now have cataracts**

    **Module:** 4.7  Visual Impairment and Access to Eye Care                              **Type:** Num

    **Column:** 271                                                **SAS Variable Name:** VICTRCT2

    **Prologue:**

**Description:** Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8 | | | |

**Hlth care pro EVER said have glaucoma**

    **Module:** 4.8  Visual Impairment and Access to Eye Care                              **Type:** Num

    **Column:** 272                                                **SAS Variable Name:** VIGLUMA2

    **Prologue:**

**Description:** Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8 | | | |

**Hlth care pro EVER said have macular degeneration**

    **Module:** 4.9  Visual Impairment and Access to Eye Care                              **Type:** Num

    **Column:** 273                                                **SAS Variable Name:** VIMACDG2

    **Prologue:**

**Description:** Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08, | | | |

**Eye injury at workplace**

**Module:** 4.10 Visual Impairment and Access to Eye Care     **Type:** Num

**Column:** 274     **SAS Variable Name:** VIATWRK2

**Prologue:**

**Description:** Have you EVER had an eye injury that occurred at your workplace while you were doing your work?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Module 04.01, VIDFCLT2, is coded as 8; or Module 04.02, VIREDIF2, is coded as 8; or Module 04.03, VIPRFVS2, is coded as 8; or Module 04.04, VINOCRE2, is coded as 8; or Module 04.05, VIEYEXM2, is coded as 8; or Module 04.06, VINSUR2, is coded as 8; or Module 04.07, VICTRCT2, is coded as 8; or Module 04.08, | | | |

**How many days hard to do usual activities in past 30 days**

**Module:** 5.1 Healthy Days (Symptoms)     **Type:** Num

**Column:** 275-276     **SAS Variable Name:** PAINACT2

**Prologue:**

**Description:** During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

**How many days depressed in past 30 days**

**Module:** 5.2 Healthy Days (Symptoms)     **Type:** Num

**Column:** 277-278     **SAS Variable Name:** QLMENTL2

**Prologue:**

**Description:** During the past 30 days, for about how may days have you felt sad, blue, or depressed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

**How many days felt anxious in past 30 days**

**Module:** 5.3 Healthy Days (Symptoms)     **Type:** Num

**Column:** 279-280     **SAS Variable Name:** QLSTRES2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt worried, tense, or anxious?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

**How many days did you get enough sleep in past 30 days**

**Module:** 5.4 Healthy Days (Symptoms)     **Type:** Num

**Column:** 281-282     **SAS Variable Name:** QLREST2

**Prologue:**

**Description:** During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## How many days full of energy in past 30 days

**Module:** 5.5  Healthy Days (Symptoms)  **Type:** Num
**Column:** 283-284  **SAS Variable Name:** QLHLTH2
**Prologue:**
**Description:** During the past 30 days, for about how many days have you felt very healthy and full of energy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Outpatient rehab after heart attack hosp stay

**Module:** 6.1  Cardiovascular Health  **Type:** Num
**Column:** 285  **SAS Variable Name:** HAREHAB
**Prologue:**
**Description:** After you left the hospital following your heart attack did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 08.01, CVDINFR4, is coded 2, 7, 9 or Missing | | | |

## Outpatient rehab after hosp stay for stroke

**Module:** 6.2  Cardiovascular Health  **Type:** Num
**Column:** 286  **SAS Variable Name:** STREHAB
**Prologue:**
**Description:** After you left the hospital following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 08.03, CVDSTRK3, is coded 2, 7, 9 or Missing | | | |

## Take Aspirin Daily or Every Other Day

**Module:** 6.3  Cardiovascular Health  **Type:** Num
**Column:** 287  **SAS Variable Name:** CVDASPRN
**Prologue:**
**Description:** Do you take aspirin daily or every other day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Health Makes Taking Aspirin Unsafe

**Module:** 6.4  Cardiovascular Health  **Type:** Num
**Column:** 288  **SAS Variable Name:** ASPUNSAF
**Prologue:**
**Description:** Do you have a health problem or condition that makes taking aspirin unsafe for you?  (If "Yes," ask "Is this a stomach condition?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 06.03, CVDASPRN, is coded 1 | | | |

### Change eating habits for BP?

| | | |
|---|---|---|
| **Module:** 7.1  Actions to Control High Blood Pressure | **Type:** Num | |
| **Column:** 289 | **SAS Variable Name:** BPEATHBT | |

**Prologue:** Are you now doing any of the following to help lower or control your high blood pressure?

**Description:** (Are you) changing your eating habits (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

### Reduce salt intake to lower BP?

| | | |
|---|---|---|
| **Module:** 7.2  Actions to Control High Blood Pressure | **Type:** Num | |
| **Column:** 290 | **SAS Variable Name:** BPSALT | |

**Prologue:** Are you now doing any of the following to help lower or control your high blood pressure?]

**Description:** (Are you) cutting down on salt (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

### Reduce alcohol use for BP?

| | | |
|---|---|---|
| **Module:** 7.3  Actions to Control High Blood Pressure | **Type:** Num | |
| **Column:** 291 | **SAS Variable Name:** BPALCHOL | |

**Prologue:** Are you now doing any of the following to help lower or control your high blood pressure?]

**Description:** (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

### Exercising to lower BP?

| | | |
|---|---|---|
| **Module:** 7.4  Actions to Control High Blood Pressure | **Type:** Num | |
| **Column:** 292 | **SAS Variable Name:** BPEXER | |

**Prologue:** Are you now doing any of the following to help lower or control your high blood pressure?]

**Description:** (Are you) exercising (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

### Hlth care pro ever advised change in eating habits to reduce BP

| | | |
|---|---|---|
| **Module:** 7.5  Actions to Control High Blood Pressure | **Type:** Num | |
| **Column:** 293 | **SAS Variable Name:** BPEATADV | |

**Prologue:** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

**Description:** (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

## Hlth care pro ever advised using less salt to reduce BP

**Module:** 7.6  Actions to Control High Blood Pressure      **Type:** Num

**Column:** 294      **SAS Variable Name:** BPSLTADV

**Prologue:** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

**Description:** (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

## Hlth care pro ever advised reduced alcohol use to reduce BP

**Module:** 7.7  Actions to Control High Blood Pressure      **Type:** Num

**Column:** 295      **SAS Variable Name:** BPALCADV

**Prologue:** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

**Description:** (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

## Hlth care pro ever advised exercise to reduce BP

**Module:** 7.8  Actions to Control High Blood Pressure      **Type:** Num

**Column:** 296      **SAS Variable Name:** BPEXRADV

**Prologue:** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

**Description:** (Ever advised you to) exercise (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

## Hlth care pro ever advised meds to reduce BP

**Module:** 7.9  Actions to Control High Blood Pressure      **Type:** Num

**Column:** 297      **SAS Variable Name:** BPMEDADV

**Prologue:** Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

**Description:** (Ever advised you to) take medication (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

## Told had high BP during 2+ visits to hlth care pro?

**Module:** 7.10 Actions to Control High Blood Pressure      **Type:** Num

**Column:** 298      **SAS Variable Name:** BPHI2MR

**Prologue:**

**Description:** Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure?  (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 06.01, BPHIGH4, is coded 2, 7, 9, or Missing | | | |

**Heart Attack Symptoms - Jaw/Back/Neck Pain**

    **Module:** 8.1  Heart Attack and Stroke                            **Type:** Num

    **Column:** 299                         **SAS Variable Name:** HASYMP1

    **Prologue:** Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack?  For each, tell me "yes", "no", or you're "not sure":

**Description:** Do you think pain or discomfort in the jaw, neck, or back are symptoms of a heart attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Heart Attack Symptoms - Weak/Light-headed/Faint**

    **Module:** 8.2  Heart Attack and Stroke                            **Type:** Num

    **Column:** 300                         **SAS Variable Name:** HASYMP2

    **Prologue:**

**Description:** Do you think feeling weak, lightheaded, or faint are symptoms of a heart attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Heart Attack Symptoms - Chest Pain/Discomfort**

    **Module:** 8.3  Heart Attack and Stroke                            **Type:** Num

    **Column:** 301                         **SAS Variable Name:** HASYMP3

    **Prologue:**

**Description:** [Do you think] chest pain or discomfort [are symptoms for a heart attack]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Heart Attack Symptoms - Vision Problems**

    **Module:** 8.4  Heart Attack and Stroke                            **Type:** Num

    **Column:** 302                         **SAS Variable Name:** HASYMP4

    **Prologue:**

**Description:** [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a heart attack]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder**

    **Module:** 8.5  Heart Attack and Stroke                            **Type:** Num

    **Column:** 303                         **SAS Variable Name:** HASYMP5

    **Prologue:**

**Description:** [Do you think] pain or discomfort in the arms or shoulder [are symptoms of a heart attack]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Heart Attack Symptoms - Shortness of Breath

**Module:** 8.6  Heart Attack and Stroke                                           **Type:** Num

**Column:** 304                                          **SAS Variable Name:** HASYMP6

**Prologue:**

**Description:** [Do you think] shortness of breath [is a symptom of a heart attack]?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Confusion/Trouble speaking

**Module:** 8.7  Heart Attack and Stroke                                           **Type:** Num

**Column:** 305                                          **SAS Variable Name:** STRSYMP1

**Prologue:** Which of the following do you think is a symptom of a stroke?  For each, tell me "yes", "no", or you're "not sure".

**Description:** (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

**Module:** 8.8  Heart Attack and Stroke                                           **Type:** Num

**Column:** 306                                          **SAS Variable Name:** STRSYMP2

**Prologue:**

**Description:** (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Vision Problems

**Module:** 8.9  Heart Attack and Stroke                                           **Type:** Num

**Column:** 307                                          **SAS Variable Name:** STRSYMP3

**Prologue:**

**Description:** (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Chest Pain/Discomfort

**Module:** 8.10 Heart Attack and Stroke                                           **Type:** Num

**Column:** 308                                          **SAS Variable Name:** STRSYMP4

**Prologue:**

**Description:** (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

**Module:** 8.11 Heart Attack and Stroke
**Type:** Num
**Column:** 309
**SAS Variable Name:** STRSYMP5
**Prologue:**
**Description:** (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Stroke Symptoms - Severe Headache

**Module:** 8.12 Heart Attack and Stroke
**Type:** Num
**Column:** 310
**SAS Variable Name:** STRSYMP6
**Prologue:**
**Description:** (Do you think) severe headache with no known cause (is a symptom of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## First Aid for Heart Attack and Stroke

**Module:** 8.13 Heart Attack and Stroke
**Type:** Num
**Column:** 311
**SAS Variable Name:** FIRSTAID
**Prologue:**
**Description:** If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Have You Ever Had a Mammogram

**Module:** 9.1 Women´s Health
**Type:** Num
**Column:** 312
**SAS Variable Name:** HADMAM
**Prologue:**
**Description:** A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1 | 4,733 | | |

## How Long since Last Mammogram

**Module:** 9.2 Women´s Health
**Type:** Num
**Column:** 313
**SAS Variable Name:** HOWLONG
**Prologue:**
**Description:** How long has it been since you had your last mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Ever Had Breast Physical Exam by Doctor

**Module:** 9.3  Women´s Health                                   **Type:** Num

**Column:** 314                                    **SAS Variable Name:** PROFEXAM

**Prologue:**

**Description:** A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1 | 4,733 | | |

## How Long since Last Breast Physical Exam

**Module:** 9.4  Women´s Health                                   **Type:** Num

**Column:** 315                                    **SAS Variable Name:** LENGEXAM

**Prologue:**

**Description:** How long has it been since your last breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1; or Module 09.03,<br>PROFEXAM, is coded 2, 7, 9, or Missing | 4,733 | | |

## Ever Had a Pap Test

**Module:** 9.5  Women´s Health                                   **Type:** Num

**Column:** 316                                    **SAS Variable Name:** HADPAP2

**Prologue:**

**Description:** A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1 | 4,733 | | |

## How Long Since Last Pap Test

**Module:** 9.6  Women´s Health                                   **Type:** Num

**Column:** 317                                    **SAS Variable Name:** LASTPAP2

**Prologue:**

**Description:** How long has it been since you had your last Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1; or Module 09.05, HADPAP2,<br>is coded 2, 7, 9, or Missing | 4,733 | | |

## Had Hysterectomy

**Module:** 9.7  Women´s Health                                   **Type:** Num

**Column:** 318                                    **SAS Variable Name:** HADHYST2

**Prologue:**

**Description:** Have you had a hysterectomy?   [A hysterectomy is an operation to remove the uterus (womb).]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Section 12.20, SEX, is coded 1; or Section 12.21,<br>PREGNANT, is coded 1 | 4,733 | | |

## Ever Had PSA Test

**Module:** 10.1  Prostate Cancer Screening        **Type:** Num

**Column:** 319        **SAS Variable Name:** PSATEST

**Prologue:**

**Description:** A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2 | | | |

## Time Since Last PSA Test

**Module:** 10.2  Prostate Cancer Screening        **Type:** Num

**Column:** 320        **SAS Variable Name:** PSATIME

**Prologue:**

**Description:** How long has it been since you had your last PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.01, PSATEST, is coded, 2, 7, 9, or Missing | | | |

## Ever Had Digital Rectal Exam

**Module:** 10.3  Prostate Cancer Screening        **Type:** Num

**Column:** 321        **SAS Variable Name:** DIGRECEX

**Prologue:**

**Description:** A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.  Have you ever had a digital rectal exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2 | | | |

## Time Since Last Digital Rectal Exam

**Module:** 10.4  Prostate Cancer Screening        **Type:** Num

**Column:** 322        **SAS Variable Name:** DRETIME

**Prologue:**

**Description:** How long has it been since your last digital rectal exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2; or Module 10.03, DIGRECEX, is coded 2, 7, 9, or Missing | | | |

**Ever Told You Had Prostate Cancer**

    **Module:** 10.5  Prostate Cancer Screening                       **Type:** Num

    **Column:** 323                                         **SAS Variable Name:** PROSTATE

    **Prologue:**

**Description:** Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Section 12.01, AGE, is less than 40; or Section 12.20, SEX, is coded 2 | | | |

**Ever Had Blood Stool Test Using Home Kit**

    **Module:** 11.1  Colorectal Cancer Screening                     **Type:** Num

    **Column:** 324                                          **SAS Variable Name:** BLDSTOOL

    **Prologue:**

**Description:** A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood.  Have you ever had this test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,273 | 44.98 | 45.47 |
| 2 | No—Go to Module 11.03 HADSIGM3 | 1,533 | 54.17 | 54.04 |
| 7 | Don't know/Not Sure—Go to Module 11.03 HADSIGM3 | 23 | 0.81 | 0.49 |
| 9 | Refused—Go to Module 11.03 HADSIGM3 | 1 | 0.04 | 0.00 |
| BLANK | Not asked or Missing | 1,903 | | |
| | Notes: Section 12.01, AGE, is less than 50 | | | |

**Time Since Last Blood Stool Test**

    **Module:** 11.2  Colorectal Cancer Screening                     **Type:** Num

    **Column:** 325                                          **SAS Variable Name:** LSTBLDS2

    **Prologue:**

**Description:** How long has it been since you had your last blood stool test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 494 | 38.81 | 40.53 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 224 | 17.60 | 18.25 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 245 | 19.25 | 18.51 |
| 4 | 5 or more years ago | 290 | 22.78 | 21.13 |
| 7 | Don't know/Not sure | 18 | 1.41 | 1.44 |
| 9 | Refused | 2 | 0.16 | 0.13 |
| BLANK | Not asked or Missing | 3,460 | | |
| | Notes: Section 12.01, AGE, is less than 50; or Module 11.01, BLDSTOOL, is coded 2, 7, 9, or Missing | | | |

**Ever Had Sigmoidoscopy/Colonoscopy**

    **Module:** 11.3  Colorectal Cancer Screening                     **Type:** Num

    **Column:** 326                                          **SAS Variable Name:** HADSIGM3

    **Prologue:**

**Description:** Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes | 1,658 | 58.63 | 61.21 |
| 2 | No—Go to Next Module | 1,146 | 40.52 | 38.37 |
| 7 | Don't know/Not Sure—Go to Next Module | 17 | 0.60 | 0.24 |
| 9 | Refused—Go to Next Module | 7 | 0.25 | 0.18 |
| BLANK | Not asked or Missing | 1,905 | | |
| | Notes: Section 12.01, AGE, is less than 50 | | | |

## Most recent exam called sigmoidoscopy or colonoscopy?

**Module:** 11.4  Colorectal Cancer Screening      **Type:** Num

**Column:** 327      **SAS Variable Name:** HADSGCOL

**Prologue:**

**Description:** For a sigmoidoscopy, a flexible tube is inserted into the rectum to look for problems.  A colonoscopy is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT examination called a sigmoidoscopy or a colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Sigmoidoscopy | 219 | 13.22 | 11.81 |
| 2 | Colonoscopy | 1,330 | 80.27 | 81.89 |
| 3 | Something else | 23 | 1.39 | 1.91 |
| 7 | Don't know/Not Sure | 82 | 4.95 | 4.25 |
| 9 | Refused | 3 | 0.18 | 0.13 |
| BLANK | Not asked or Missing | 3,076 | | |

Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing

## Time Since Last Sigmoidoscopy/Colonoscopy

**Module:** 11.5  Colorectal Cancer Screening      **Type:** Num

**Column:** 328      **SAS Variable Name:** LASTSIG2

**Prologue:**

**Description:** How long has it been since you had your last sigmoidoscopy or colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Within the past year (anytime less than 12 months ago) | 462 | 27.88 | 30.86 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 361 | 21.79 | 21.81 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 554 | 33.43 | 34.37 |
| 4 | Within the past 10 years (5 years but less than 10 years ago) | 161 | 9.72 | 6.76 |
| 5 | 10 or more years ago | 100 | 6.04 | 5.34 |
| 7 | Don't know/Not Sure | 17 | 1.03 | 0.76 |
| 9 | Refused | 2 | 0.12 | 0.11 |
| BLANK | Not asked or Missing | 3,076 | | |

Notes: Section 12.01, AGE, is less than 50; or Module 11.03, HADSIGM3, is coded 2, 7, 9, or Missing

## Age at Asthma Diagnosis

**Module:** 12.1  Adult Asthma History      **Type:** Num

**Column:** 329-330      **SAS Variable Name:** ASTHMAGE

**Prologue:** Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

**Description:** How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 11 - 96 | Age 11 or older [96 = 96 and older] | 463 | 72.12 | 66.75 |
| | Notes: 96=96 and older | | | |
| 97 | Age 10 or younger | 146 | 22.74 | 29.14 |
| 98 | Don't know/Not sure | 32 | 4.98 | 4.02 |
| 99 | Refused | 1 | 0.16 | 0.09 |
| BLANK | Not asked or Missing | 4,091 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing

**Asthma During Past 12 Months**

**Module:** 12.2  Adult Asthma History

**Column:** 331

**Prologue:**

**Type:** Num

**SAS Variable Name:** ASATTACK

**Description:** During the past 12 months, have you had an episode of asthma or an asthma attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 213 | 50.24 | 54.94 |
| 2 | No | 208 | 49.06 | 44.85 |
| 7 | Don't know/Not sure | 3 | 0.71 | 0.21 |
| BLANK | Not asked or Missing | 4,309 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**Emergency Asthma Care During Past 12 Months**

**Module:** 12.3  Adult Asthma History

**Column:** 332-333

**Prologue:**

**Type:** Num

**SAS Variable Name:** ASERVIST

**Description:** During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 87 | Number of visits [87 = 87 or more] | 61 | 14.39 | 15.90 |
| | Notes: 87=87 or more | | | |
| 88 | None | 360 | 84.91 | 83.66 |
| 98 | Don't know/Not sure | 2 | 0.47 | 0.20 |
| 99 | Refused | 1 | 0.24 | 0.24 |
| BLANK | Not asked or Missing | 4,309 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**Urgent Asthma Treatment During Past 12 Months**

**Module:** 12.4  Adult Asthma History

**Column:** 334-335

**Prologue:** If one or more visits to Q3, fill in  (Besides those emergency room visits,)]

**Type:** Num

**SAS Variable Name:** ASDRVIST

**Description:** During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 87 | Number of visits [87 = 87 or more] | 111 | 26.18 | 28.25 |
| | Notes: 87=87 or more | | | |
| 88 | None | 308 | 72.64 | 69.29 |
| 98 | Don't know/Not sure | 3 | 0.71 | 0.53 |
| 99 | Refused | 2 | 0.47 | 1.92 |
| BLANK | Not asked or Missing | 4,309 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

## Routine Asthma Care During Past 12 Months

**Module:** 12.5  Adult Asthma History
**Column:** 336-337
**Prologue:**
**Type:** Num
**SAS Variable Name:** ASRCHKUP

**Description:** During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 87 | Number of visits [87 = 87 or more] | 244 | 57.55 | 55.07 |
| 88 | None | 172 | 40.57 | 43.66 |
| 98 | Don't know/Not sure | 7 | 1.65 | 1.22 |
| 99 | Refused | 1 | 0.24 | 0.05 |
| BLANK | Not asked or Missing | 4,309 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

## Activities Limited Because of Asthma During Past 12 Months

**Module:** 12.6  Adult Asthma History
**Column:** 338-340
**Prologue:**
**Type:** Num
**SAS Variable Name:** ASACTLIM

**Description:** During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 - 365 | Number of days | 156 | 36.79 | 33.65 |
| 777 | Don't know/Not sure | 24 | 5.66 | 4.46 |
| 888 | None | 244 | 57.55 | 61.89 |
| BLANK | Not asked or Missing | 4,309 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

## Asthma Symptoms During Past 30 Days

**Module:** 12.7  Adult Asthma History
**Column:** 341
**Prologue:**
**Type:** Num
**SAS Variable Name:** ASYMPTOM

**Description:** Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don´t have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Less than once a week | 82 | 19.39 | 21.29 |
| 2 | Once or twice a week | 85 | 20.09 | 20.32 |
| 3 | More that 2 times a week, but not every day | 48 | 11.35 | 13.16 |
| 4 | Every day, but not all the time | 47 | 11.11 | 8.82 |
| 5 | Every day, all the time | 37 | 8.75 | 6.23 |
| 7 | Don't know/Not sure | 13 | 3.07 | 3.13 |
| 8 | Not at any time—Go to Module 12.09 ASTHMED3 | 111 | 26.24 | 27.05 |
| BLANK | Not asked or Missing | 4,310 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or
Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**Sleep Difficulty Because of Asthma During Past 30 Days**

**Module:** 12.8  Adult Asthma History

**Type:** Num

**Column:** 342

**SAS Variable Name:** ASNOSLEP

**Prologue:**

**Description:** During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | One or two | 49 | 15.71 | 13.96 |
| 2 | Three to four | 25 | 8.01 | 7.77 |
| 3 | Five | 13 | 4.17 | 4.98 |
| 4 | Six to ten | 13 | 4.17 | 2.17 |
| 5 | More than ten | 39 | 12.50 | 16.33 |
| 7 | Don't know/Not sure | 13 | 4.17 | 3.21 |
| 8 | None | 160 | 51.28 | 51.58 |
| BLANK | Not asked or Missing | 4,421 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 12.07, ASYMPTOM, is coded 8, or Missing

**Days used prescribed preventative asthma med in past 30 days**

**Module:** 12.9  Adult Asthma History

**Type:** Num

**Column:** 343

**SAS Variable Name:** ASTHMED3

**Prologue:**

**Description:** During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | 1 to 14 days | 85 | 20.14 | 17.60 |
| 2 | 15 to 24 days | 12 | 2.84 | 2.64 |
| 3 | 25 to 30 days | 162 | 38.39 | 38.32 |
| 7 | Don't know/Not sure | 9 | 2.13 | 1.63 |
| 8 | Never | 152 | 36.02 | 39.54 |
| 9 | Refused | 2 | 0.47 | 0.26 |
| BLANK | Not asked or Missing | 4,311 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**Times used asthma inhaler during an attack in past 30 days**

**Module:** 12.10 Adult Asthma History

**Type:** Num

**Column:** 344

**SAS Variable Name:** ASINHALR

**Prologue:**

**Description:** During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | 1 to 4 times (in the past 30 days) | 121 | 28.67 | 25.22 |
| 2 | 5 to 14 times (in the past 30 days) | 42 | 9.95 | 7.93 |
| 3 | 15 to 29 times (in the past 30 days) | 25 | 5.92 | 5.45 |
| 4 | 30 to 59 times (in the past 30 days) | 21 | 4.98 | 7.93 |
| 5 | 60 to 99 times (in the past 30 days) | 12 | 2.84 | 2.60 |
| 6 | 100 or more times (in the past 30 days) | 7 | 1.66 | 2.75 |
| 7 | Don't know/Not sure | 13 | 3.08 | 2.41 |
| 8 | Never (include no attack in past 30 days) | 181 | 42.89 | 45.72 |
| BLANK | Not asked or Missing | 4,311 | | |

Notes: Section 9.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 9.02, ASTHNOW, is coded 2, 7, 9, or Missing

**What Can You Do Because of Arthritis or Joint Symptoms**

**Module:** 13.1  Arthritis Management                                    **Type:** Num

**Column:** 345                                    **SAS Variable Name:** ARTTODAY

**Prologue:** Earlier you indicated that you had arthritis or joint symptoms.

**Description:** Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | I can do everything I would like to do | 645 | 28.73 | 34.36 |
| 2 | I can do most things I would like to do | 978 | 43.56 | 41.47 |
| 3 | I can do some things I would like to do | 454 | 20.22 | 17.47 |
| 4 | I can hardly do anything I would like to do | 155 | 6.90 | 6.42 |
| 7 | Don´t know/Not Sure | 8 | 0.36 | 0.13 |
| 9 | Refused | 5 | 0.22 | 0.14 |
| BLANK | Not asked or Missing | 2,488 | | |

Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing;
and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

**Dr. Suggest Lose Weight for Arthritis or Joint Symptoms**

**Module:** 13.2  Arthritis Management                                    **Type:** Num

**Column:** 346                                    **SAS Variable Name:** ARTHWGT

**Prologue:**

**Description:** Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 686 | 30.58 | 29.10 |
| 2 | No | 1,550 | 69.10 | 70.69 |
| 7 | Don´t know/Not Sure | 7 | 0.31 | 0.20 |
| BLANK | Not asked or Missing | 2,490 | | |

Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing;
and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

**Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms**

**Module:** 13.3  Arthritis Management                                    **Type:** Num

**Column:** 347                                    **SAS Variable Name:** ARTHEXER

**Prologue:**

**Description:** Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms?  (Note:  If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 1,054 | 47.01 | 44.31 |
| 2 | No | 1,162 | 51.83 | 54.79 |
| 7 | Don´t know/Not Sure | 24 | 1.07 | 0.87 |
| 9 | Refused | 2 | 0.09 | 0.04 |
| BLANK | Not asked or Missing | 2,491 | | |

Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing;
and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

**Ever Taken Class in Managing Arthritis or Joint Symptoms**

**Module:** 13.4  Arthritis Management                                    **Type:** Num

**Column:** 348                                    **SAS Variable Name:** ARTHEDU

**Prologue:**

**Description:** Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes | 252 | 11.24 | 10.79 |
| 2 | No | 1,982 | 88.40 | 88.14 |
| 7 | Don´t know/Not Sure | 6 | 0.27 | 0.10 |
| 9 | Refused | 2 | 0.09 | 0.97 |
| BLANK | Not asked or Missing | 2,491 | | |

Notes: Section 15.02, JOINTSYM, is coded 2, 7, 9, or Missing;
and Section 15.04, HAVARTH2, is coded 2, 7, 9, or Missing

**Current Veteran Status**

**Module:** 14.1  Veterans Health Status                                    **Type:** Num

**Column:** 349                                    **SAS Variable Name:** VETSTAT2

**Prologue:**

**Description:** Which of the following best describes your service in the United States military?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing

**Received some or all of your health care from VA facilities in the last 12 months**

**Module:** 14.2  Veterans Health Status                                    **Type:** Num

**Column:** 350                                    **SAS Variable Name:** VACARE

**Prologue:**

**Description:** In the last 12 months have you received some or all of your health care from VA facilities?   [If "yes" probe for "all" or "some" of the health care.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing

**Military deployment to Afghanistan or Iraq since 9/11?**

**Module:** 14.3  Veterans Health Status                                    **Type:** Num

**Column:** 351                                    **SAS Variable Name:** VAIRQAFG

**Prologue:**

**Description:** Since September 11, 2001, have you been deployed to the regions of Afghanistan or Iraq in support of U.S. military operations?  (This includes countries in the Middle East region such as Iraq, Saudi Arabia, Kuwait, the Persian Gulf, and other forward deployed operating areas such as the countries bordering Afghanistan.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

Notes: Section 12.05, VETERAN1, is coded 2, 7, 9 or Missing

**How do other people usually classify you in this country?**

| | | |
|---|---|---|
| **Module:** 15.1  Reactions to Race | | **Type:** Num |
| **Column:** 352 | | **SAS Variable Name:** RRCLASS2 |
| **Prologue:** | | |

**Description:** How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**How often do you think about your race?**

| | | |
|---|---|---|
| **Module:** 15.2  Reactions to Race | | **Type:** Num |
| **Column:** 353 | | **SAS Variable Name:** RRCOGNT2 |
| **Prologue:** | | |

**Description:** How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**How do you feel you were treated at work compared to people of other races in past 12 months?**

| | | |
|---|---|---|
| **Module:** 15.3  Reactions to Race | | **Type:** Num |
| **Column:** 354 | | **SAS Variable Name:** RRATWRK2 |
| **Prologue:** | | |

**Description:** Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**When seeking health care past 12 months, was experience worse, same, better than people of other races?**

| | | |
|---|---|---|
| **Module:** 15.4  Reactions to Race | | **Type:** Num |
| **Column:** 355 | | **SAS Variable Name:** RRHCARE3 |
| **Prologue:** | | |

**Description:** Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Times past 30 days felt physical symptoms because of treatment due to your race**

| | | |
|---|---|---|
| **Module:** 15.5  Reactions to Race | | **Type:** Num |
| **Column:** 356 | | **SAS Variable Name:** RRPHYSM2 |
| **Prologue:** | | |

**Description:** Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

### Times past 30 days felt emotionally upset because of treatment due to your race

**Module:** 15.6  Reactions to Race **Type:** Num

**Column:** 357 **SAS Variable Name:** RREMTSM2

**Prologue:**

**Description:** Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

### How often feel nervous past 30 days

**Module:** 16.1  Mental Illness & Stigma **Type:** Num

**Column:** 358 **SAS Variable Name:** MISNERVS

**Prologue:** Now, I am going to ask you some questions about how you have been feeling during the past 30 days.

**Description:** About how often during the past 30 days did you feel nervous- would you say all of the time, most of the time, some of the time, a little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

### How often feel hopeless past 30 days

**Module:** 16.2  Mental Illness & Stigma **Type:** Num

**Column:** 359 **SAS Variable Name:** MISHOPLS

**Prologue:**

**Description:** During the past 30 days, about how often  did you feel hopeless- all of the time, most of the time, some of the time, a little of the time or none of the time?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

### How often feel restless past 30 days

**Module:** 16.3  Mental Illness & Stigma **Type:** Num

**Column:** 360 **SAS Variable Name:** MISRSTLS

**Prologue:**

**Description:** During the past 30 days, about how often did you feel restless or fidgety?  (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

### How often feel depressed past 30 days

**Module:** 16.4  Mental Illness & Stigma **Type:** Num

**Column:** 361 **SAS Variable Name:** MISDEPRD

**Prologue:**

**Description:** During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?  (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## How often feel everything was an effort past 30 days

**Module:** 16.5  Mental Illness & Stigma          **Type:** Num

**Column:** 362          **SAS Variable Name:** MISEFFRT

**Prologue:**

**Description:** During the past 30 days, about how often did you feel that everything was an effort?  (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## How often feel worthless past 30 days

**Module:** 16.6  Mental Illness & Stigma          **Type:** Num

**Column:** 363          **SAS Variable Name:** MISWTLES

**Prologue:**

**Description:** During the past 30 days, about how often did you feel worthless?  (If necessary: all, most, some, a little, or none of the time.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Emotional problem kept you from doing work past 30 days

**Module:** 16.7  Mental Illness & Stigma          **Type:** Num

**Column:** 364-365          **SAS Variable Name:** MISNOWRK

**Prologue:** The next question asks if any type of mental health condition or emotional problem has recently kept you from doing your work or other usual activities.

**Description:** During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities?  (If asked, "usual activities" includes housework, self-care, caregiving, volunteer work, attending school, or recreation.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Receiving medicine or treatment from health pro for emotional problem

**Module:** 16.8  Mental Illness & Stigma          **Type:** Num

**Column:** 366          **SAS Variable Name:** MISTMNT

**Prologue:**

**Description:** Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Mental health treatment can help people lead normal life

**Module:** 16.9  Mental Illness & Stigma          **Type:** Num

**Column:** 367          **SAS Variable Name:** MISTRHLP

**Prologue:** These next questions ask about peoples´ attitudes toward mental illness and its treatment.  How much do you agree or disagree with these statements about people with mental illness...

**Description:** Treatment can help people with mental illness lead normal lives.  Do you  agree slightly or strongly, or disagree slightly or strongly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## People are generally caring toward people with mental illness

**Module:** 16.10 Mental Illness & Stigma      **Type:** Num

**Column:** 368      **SAS Variable Name:** MISPHLPF

**Prologue:**

**Description:** People are generally caring and sympathetic to people with mental illness. Do you agree slightly or strongly or disagree slightly or strongly? (If asked for the purpose of Q9 or Q10, say: "answers to these questions will be used by health planners to help understand public attitudes about mental illness and its treatment and to help guide health education progams.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## In a safe place to answer questions

**Module:** 17.1 Sexual Violence      **Type:** Num

**Column:** 369      **SAS Variable Name:** SVSAFE

**Prologue:**

**Description:** Are you in a safe place to answer these questions?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Unwanted touching of sexual parts of body past 12 mos

**Module:** 17.2 Sexual Violence      **Type:** Num

**Column:** 370      **SAS Variable Name:** SVSEXTCH

**Prologue:**

**Description:** In the past 12 months, has anyone touched sexual parts of your body after you said or showed that you didn´t want them to or without your consent (for example being groped or fondled)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2 | | | |

## Someone past 12 mos put you in unwanted sex situation w/o touching

**Module:** 17.3 Sexual Violence      **Type:** Num

**Column:** 371      **SAS Variable Name:** SVNOTCH2

**Prologue:**

**Description:** In the past 12 months, has anyone exposed you to unwanted sexual situations that did not involve physical touching? Examples include things like sexual harassment, someone exposing sexual parts of their body to you, being seen by a peeping Tom, or someone making you look at sexual photos or movies?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2 | | | |

## Someone ever had sex with you against your will

**Module:** 17.4 Sexual Violence      **Type:** Num

**Column:** 372      **SAS Variable Name:** SVEHDSEX

**Prologue:**

**Description:** Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2 | | | |

**Happened in the past 12 months**

| | | |
|---|---|---|
| **Module:** 17.5  Sexual Violence | | **Type:** Num |
| **Column:** 373 | | **SAS Variable Name:** SVHDSX12 |
| **Prologue:** | | |

**Description:** Has this happened in the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.04, SVEHDSEX, is coded as 2, 7, 9, or Missing | | | |

**Someone ever attempt to have sex against will but did not happen**

| | | |
|---|---|---|
| **Module:** 17.6  Sexual Violence | | **Type:** Num |
| **Column:** 374 | | **SAS Variable Name:** SVEANOSX |
| **Prologue:** | | |

**Description:** Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2 | | | |

**Happened in the past 12 months**

| | | |
|---|---|---|
| **Module:** 17.7  Sexual Violence | | **Type:** Num |
| **Column:** 375 | | **SAS Variable Name:** SVNOSX12 |
| **Prologue:** | | |

**Description:** Has this happened in the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.06, SVEANOSX, is coded as 2, 7, or 9 | | | |

**Relationship to person most recently attempting or having unwanted sex**

| | | |
|---|---|---|
| **Module:** 17.8  Sexual Violence | | **Type:** Num |
| **Column:** 376-377 | | **SAS Variable Name:** SVRELAT2 |
| **Prologue:** | | |

**Description:** Think about the time of the most recent incident involving a person who had sex with you –or- attempted to have sex with you after you said or showed that you didn't want to or without your consent? What was that person's relationship to you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.03, SVNOTCH2, is coded 2, 7, 9, or Missing and Module 17.05, SVHDSX12, is coded 2, 7, 9, or Missing | | | |

**Person's gender who had sex with you against your will**

    **Module:** 17.9  Sexual Violence                                           **Type:** Num

    **Column:** 378                                           **SAS Variable Name:** SVGENDER

    **Prologue:**

**Description:** Was the person who did this male or female?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Module 17.01, SVSAFE, is coded as 2; or Module 17.08,<br>SVRELAT2, is coded as 20; or Module 17.03, SVNOTCH2, is coded 2,<br>7, 9, or Missing and Module 17.05, SVHDSX12, is coded 2, 7, 9,<br>or Missing | 4,733 | | |

**In a safe place to answer questions**

    **Module:** 18.1  Intimate Partner Violence                               **Type:** Num

    **Column:** 379                                           **SAS Variable Name:** IPVSAFE

    **Prologue:**

**Description:** Are you in a safe place to answer these questions?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

**Sex partner ever threatened violence**

    **Module:** 18.2  Intimate Partner Violence                               **Type:** Num

    **Column:** 380                                           **SAS Variable Name:** IPVTHRAT

    **Prologue:**

**Description:** Has an intimate partner EVER THREATENED you with physical violence?  This includes threatening to hit, slap, push, kick, or hurt you in any way.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Module 18.01, IPVSAFE, is coded 2 | 4,733 | | |

**Sex partner ever attempted violence**

    **Module:** 18.3  Intimate Partner Violence                               **Type:** Num

    **Column:** 381                                           **SAS Variable Name:** IPVPHYV2

    **Prologue:**

**Description:** Has an intimate partner EVER ATTEMPTED physical violence against you? This  includes times when they tried to hit, slap, push, kick, or otherwise hurt you, BUT THEY WERE NOT ABLE TO.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Module 18.01, IPVSAFE, is coded 2 | 4,733 | | |

**Sex partner ever violent**

    **Module:** 18.4  Intimate Partner Violence                               **Type:** Num

    **Column:** 382                                           **SAS Variable Name:** IPVPHHRT

    **Prologue:**

**Description:** Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing<br>Notes: Module 18.01, IPVSAFE, is coded 2 | 4,733 | | |

**Ever had unwanted sex w/ partner**

| | | |
|---|---|---|
| **Module:** 18.5  Intimate Partner Violence | | **Type:** Num |
| **Column:** 383 | | **SAS Variable Name:** IPVUWSEX |
| **Prologue:** | | |

**Description:** Have you EVER experienced any unwanted sex by a current or former intimate partner?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 18.01, IPVSAFE, is coded 2 | | | |

**Had unwanted sex or violence from sex partner last 12 mos**

| | | |
|---|---|---|
| **Module:** 18.6  Intimate Partner Violence | | **Type:** Num |
| **Column:** 384 | | **SAS Variable Name:** IPVPVL12 |
| **Prologue:** | | |

**Description:** In the past 12 months, have you experienced any physical violence or had unwanted sex with an intimate partner?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVUWSEX, is coded 2, 7, 9 or Missing | | | |

**Injuries from violence or unwanted sex past 12 mos**

| | | |
|---|---|---|
| **Module:** 18.7  Intimate Partner Violence | | **Type:** Num |
| **Column:** 385 | | **SAS Variable Name:** IPVSXINJ |
| **Prologue:** | | |

**Description:** In the past 12 months, have you had any physical injuries, such as bruises, cuts, scrapes, black eyes, vaginal or anal tears, or broken bones, as a result of this physical violence or unwanted sex?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVUWSEX, is coded 2, 7, 9 or Missing; or Module 18.06, IPVPVL12, is coded 2, 7, 9, or Missing | | | |

**Relationship to sex partner last violence or unwanted sex**

| | | |
|---|---|---|
| **Module:** 18.8  Intimate Partner Violence | | **Type:** Num |
| **Column:** 386-387 | | **SAS Variable Name:** IPVRELT2 |
| **Prologue:** | | |

**Description:** At the time of the most recent incident involving an intimate partner who was physically violent —or— had unwanted sex with you, what was that person´s relationship to you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 18.01, IPVSAFE, is coded 2; or Module 18.04, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 18.05, IPVUWSEX, is coded 2, 7, 9 or Missing | | | |

## Household prepared to handle large-scale disaster or emergency

**Module:** 19.1  General Preparedness

**Type:** Num

**Column:** 388

**SAS Variable Name:** GPWELPR2

**Prologue:** The next series of questions asks about large-scale disasters or emergencies. By large-scale disaster or emergency we mean any event that leaves you isolated in your home or displaces you from your home for at least 3 days. This might include natural disasters such as hurricanes, tornados, floods, and ice storms, or man-made disasters such as explosions, terrorist events, or blackouts.

**Description:** How prepared do you feel your household is to handle a large-scale disaster or emergency?  Would you say

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a disaster evacuation plan?

**Module:** 19.2  General Preparedness

**Type:** Num

**Column:** 389

**SAS Variable Name:** GPVACPLN

**Prologue:**

**Description:** Does your household have a disaster evacuation plan, a written plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a 3-day supply of water for everyone who lives there?

**Module:** 19.3  General Preparedness

**Type:** Num

**Column:** 390

**SAS Variable Name:** GP3DYWTR

**Prologue:**

**Description:** Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a 3-day supply of non-perishable food for everyone who lives there?

**Module:** 19.4  General Preparedness

**Type:** Num

**Column:** 391

**SAS Variable Name:** GP3DYFOD

**Prologue:**

**Description:** Does your household have a 3-day supply of non-perishable food for everyone who lives there? By non-perishable we mean food that does not require refrigeration or cooking.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

**Module:** 19.5  General Preparedness

**Type:** Num

**Column:** 392

**SAS Variable Name:** GP3DYPRS

**Prologue:**

**Description:** Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

**Module:** 19.6  General Preparedness  **Type:** Num
**Column:** 393  **SAS Variable Name:** GPBATRAD
**Prologue:**
**Description:** Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## Does your household have a working flashlight and working batteries for your use if the electricity is out?

**Module:** 19.7  General Preparedness  **Type:** Num
**Column:** 394  **SAS Variable Name:** GPFLSLIT
**Prologue:**
**Description:** Does your household have a working flashlight and working batteries for your use if the electricity is out?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

**Module:** 19.8  General Preparedness  **Type:** Num
**Column:** 395  **SAS Variable Name:** GPMNDEVC
**Prologue:**
**Description:** If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## What would be the main reason why you might not evacuate if asked to do so?

**Module:** 19.9  General Preparedness  **Type:** Num
**Column:** 396-397  **SAS Variable Name:** GPNOTEVC
**Prologue:**
**Description:** What would be the main reason why you might not evacuate if asked to do so?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |
| | Notes: Module 19.08, GPMNDEVC, is coded 1 | | | |

## In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

**Module:** 19.10 General Preparedness  **Type:** Num
**Column:** 398  **SAS Variable Name:** GPEMRCOM
**Prologue:**
**Description:** In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## What would be your main method of getting information from authorities in a large-scale disaster or emergency?

**Module:** 19.11 General Preparedness      **Type:** Num

**Column:** 399      **SAS Variable Name:** GPEMRINF

**Prologue:**

**Description:** What would be your main method of getting information from authorities in a large-scale disaster or emergency?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| BLANK | Not asked or Missing | 4,733 | | |

## State Added Questions

**State:** 1.1  StateQuestions      **Type:** Char

**Column:** 401-650      **SAS Variable Name:** STATEQUE

**Prologue:**

**Description:** State Added Questions

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Questionnaire Version Identifier

**State:** 1.1  Questionnaire Version      **Type:** Num

**Column:** 741      **SAS Variable Name:** QSTVER

**Prologue:**

**Description:** Questionnaire Version Identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 | Only Version | 4,733 | 100.00 | 100.00 |

## Language identifier

**State:** 1.1  Questionnaire Language      **Type:** Num

**Column:** 742-743      **SAS Variable Name:** QSTLANG

**Prologue:**

**Description:** Language identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | English | 4,338 | 91.65 | 91.72 |
| 2 | Spanish | 395 | 8.35 | 8.28 |

## Sample Design Stratification Variable

**Weighting:** 1.1  Weighting And Stratification Variables      **Type:** Num

**Column:** 800-804      **SAS Variable Name:** _STSTR

**Prologue:**

**Description:** Sample Design Stratification Variable  (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Stratum weight**

    **Weighting:** 1.2  Weighting And Stratification Variables          **Type:** Num

    **Column:** 805-814          **SAS Variable Name:** _STRWT

    **Prologue:**

**Description:** Stratum weight  (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Raw weighting factor**

    **Weighting:** 1.3  Weighting And Stratification Variables          **Type:** Num

    **Column:** 815-824          **SAS Variable Name:** _RAW

    **Prologue:**

**Description:** Raw weighting factor  (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Design weight**

    **Weighting:** 1.4  Weighting And Stratification Variables          **Type:** Num

    **Column:** 825-834          **SAS Variable Name:** _WT2

    **Prologue:**

**Description:** Design weight  (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Post-stratification weight**

    **Weighting:** 1.5  Weighting And Stratification Variables          **Type:** Num

    **Column:** 835-844          **SAS Variable Name:** _POSTSTR

    **Prologue:**

**Description:** Post-stratification weight  (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Final weight**

**Weighting:** 1.6  Weighting And Stratification Variables    **Type:** Num

**Column:** 845-854    **SAS Variable Name:** _FINALWT

**Prologue:**

**Description:** Final weight assigned to each respondent  (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Raw weighting factor questionnaire version 1**

**Weighting:** 1.7  Weighting And Stratification Variables    **Type:** Num

**Column:** 855-864    **SAS Variable Name:** _RAWQ1

**Prologue:**

**Description:** Raw weighting factor questionnaire version 1  (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH) questionnaire version 1.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Design weight questionnaire version 1. The product of the preceding four factors**

**Weighting:** 1.8  Weighting And Stratification Variables    **Type:** Num

**Column:** 865-874    **SAS Variable Name:** _WT2Q1

**Prologue:**

**Description:** Design weight questionnaire version 1  (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ1).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).**

**Weighting:** 1.9  Weighting And Stratification Variables    **Type:** Num

**Column:** 875-884    **SAS Variable Name:** _POSTQ1

**Prologue:**

**Description:** Post-stratification weight questionnaire version 1  (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2

**Weighting:** 1.10 Weighting And Stratification Variables        **Type:** Num

    **Column:** 885-894        **SAS Variable Name:** _FINALQ1

    **Prologue:**

**Description:** Final weight assigned to each respondent questionnaire version 1  (Post-stratification weight (_POSTQ1) multiplied by design weight (_WT2Q1).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Raw weighting factor questionnaire version 2

**Weighting:** 1.11 Weighting And Stratification Variables        **Type:** Num

    **Column:** 895-904        **SAS Variable Name:** _RAWQ2

    **Prologue:**

**Description:** Raw weighting factor questionnaire version 2  (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH) questionnaire version 2.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Design weight questionnaire version 2. The product of the preceding four factors

**Weighting:** 1.12 Weighting And Stratification Variables        **Type:** Num

    **Column:** 905-914        **SAS Variable Name:** _WT2Q2

    **Prologue:**

**Description:** Design weight questionnaire version 2  (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ2).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

**Weighting:** 1.13 Weighting And Stratification Variables        **Type:** Num

    **Column:** 915-924        **SAS Variable Name:** _POSTQ2

    **Prologue:**

**Description:** Post-stratification weight questionnaire version 2  (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2**

    **Weighting:** 1.14 Weighting And Stratification Variables         **Type:** Num

    **Column:** 925-934         **SAS Variable Name:** _FINALQ2

    **Prologue:**

**Description:** Final weight assigned to each respondent questionnaire version 2  (Post-stratification weight (_POSTQ2) multiplied by design weight (_WT2Q2).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed<br>Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,733 | 100.00 | 100.00 |

**Region**

    **Weighting:** 1.15 Weighting And Stratification Variables         **Type:** Num

    **Column:** 935-936         **SAS Variable Name:** _REGION

    **Prologue:**

**Description:** Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed<br>Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,733 | 100.00 | 100.00 |

**Age group codes used in post-stratification.**

    **Weighting:** 1.16 Weighting And Stratification Variables         **Type:** Num

    **Column:** 937-938         **SAS Variable Name:** _AGEG_

    **Prologue:**

**Description:** Age groups used in post-stratification  (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 3 | Age 35 to 44 | 473 | 9.99 | 15.06 |
| 4 | Age 45 to 54 | 923 | 19.50 | 17.40 |
| 5 | Age 55 to 64 | 998 | 21.09 | 13.72 |
| 6 | Age 65 to 74 | 821 | 17.35 | 9.63 |
| 7 | Age 75 or older | 662 | 13.99 | 8.03 |
| 8 | Age 18 to 34 | 506 | 10.69 | 25.81 |
| 11 | Age 18 to 44 | 350 | 7.39 | 10.35 |

**Gender group codes used in post-stratification.**

    **Weighting:** 1.17 Weighting And Stratification Variables         **Type:** Num

    **Column:** 939         **SAS Variable Name:** _SEXG_

    **Prologue:**

**Description:** Gender categories used in post-stratification  (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Male | 1,723 | 36.40 | 49.56 |
| 2 | Female | 3,010 | 63.60 | 50.44 |

## Race group codes used in post-stratification.

**Weighting:** 1.18 Weighting And Stratification Variables
**Type:** Num
**Column:** 940
**SAS Variable Name:** _RACEG3_
**Prologue:**
**Description:** Post-stratification race group codes used in weighting  (_RACEG3_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG3_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 0 | Any race and ethnicity | 4,733 | 100.00 | 100.00 |

## Age value used to determine age groups

**Weighting:** 1.19 Weighting And Stratification Variables
**Type:** Num
**Column:** 941-942
**SAS Variable Name:** _IMPAGE
**Prologue:**
**Description:** Imputed age used in post-stratification  (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 18 - 24 | Age 18 to 24 | 162 | 3.42 | 8.82 |
| 25 - 34 | Age 25 to 34 | 530 | 11.20 | 22.66 |
| 35 - 44 | Age 35 to 44 | 637 | 13.46 | 19.74 |
| 45 - 54 | Age 45 to 54 | 923 | 19.50 | 17.40 |
| 55 - 64 | Age 55 to 64 | 998 | 21.09 | 13.72 |
| 65 - 99 | Age 65 or older | 1,483 | 31.33 | 17.66 |

## Imputed number of phones

**Weighting:** 1.20 Weighting And Stratification Variables
**Type:** Num
**Column:** 943
**SAS Variable Name:** _IMPNPH
**Prologue:**
**Description:** Imputed number of phones used in weighting

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Number of phones | 4,572 | 96.60 | 97.95 |
| 2 | | 137 | 2.89 | 1.70 |
| 3 | | 19 | 0.40 | 0.32 |
| 4 | | 4 | 0.08 | 0.04 |
| 5 | | 1 | 0.02 | 0.00 |

## Interruption in Telephone Service Correction Factor

**Weighting:** 1.21 Weighting And Stratification Variables
**Type:** Num
**Column:** 944-953
**SAS Variable Name:** _ITSCF1
**Prologue:**
**Description:** Interruption in Telephone Service Correction Factor  (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Interruption in Telephone Service Correction Factor (Adjusted _WT2)

**Weighting:** 1.22 Weighting And Stratification Variables      **Type:** Num

     **Column:** 954-963      **SAS Variable Name:** _ITSCF2

     **Prologue:**

**Description:** Interruption in Telephone Service Correction Factor (Adjusted _WT2)  (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Interruption in Telephone Service Post Stratification Correction Factor

**Weighting:** 1.23 Weighting And Stratification Variables      **Type:** Num

     **Column:** 964-973      **SAS Variable Name:** _ITSPOST

     **Prologue:**

**Description:** Interruption in Telephone Service Post Stratification Correction Factor  (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Interruption in Telephone Service Final Weighting Factor

**Weighting:** 1.24 Weighting And Stratification Variables      **Type:** Num

     **Column:** 974-983      **SAS Variable Name:** _ITSFINL

     **Prologue:**

**Description:** Interruption in Telephone Service Final Weighting Factor  (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPOST).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

## Imputed County

**Weighting:** 1.25 Weighting And Stratification Variables      **Type:** Num

     **Column:** 984-986      **SAS Variable Name:** _IMPCTY

     **Prologue:**

**Description:** Imputed County

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Metropolitan Statistical Area Code.**

**Weighting:** 1.26 Weighting And Stratification Variables
**Column:** 987-991
**Prologue:**
**Description:** FIPS Metropolitan Statistical Area Code

**Type:** Char
**SAS Variable Name:** _MSACODE

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Metropolitan Status Code**

**Weighting:** 1.27 Record Identification
**Column:** 992
**Prologue:**
**Description:** Metropolitan Status Code

**Type:** Num
**SAS Variable Name:** MSCODE

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | In the center city of an MSA | 1,803 | 38.09 | 54.14 |
| 2 | Outside the center city of an MSA but inside the county containing the center city | 866 | 18.30 | 32.51 |
| 3 | Inside a suburban county of the MSA | 422 | 8.92 | 3.28 |
| 5 | Not in an MSA | 1,642 | 34.69 | 10.07 |

**CRACE with trailing 7, 8, 9s removed**

**ChildDemographics:** 1.01 Child Demographic Variables
**Column:** 993-998
**Prologue:**
**Description:** CRACE with trailing 7, 8, 9s removed

**Type:** Char
**SAS Variable Name:** CRACEORG

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | | 14 | 1.12 | 0.49 |
| 9 | | 19 | 1.52 | 3.02 |
| BLANK | | 3,482 | | |
| HIDDEN | Data not displayed | 1,218 | 97.36 | 96.49 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**CRACEORG with responses in ascending order**

**ChildDemographics:** 1.02 Child Demographic Variables
**Column:** 999-1004
**Prologue:**
**Description:** CRACE with 7, 8, 9s removed, in ascending order

**Type:** Num
**SAS Variable Name:** CRACEASC

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | | 14 | 1.12 | 0.49 |
| 9 | | 19 | 1.52 | 3.02 |
| BLANK | | 3,482 | | |
| HIDDEN | Data not displayed | 1,218 | 97.36 | 96.49 |
| | Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Child Non-Hispanic Race including Multiracial**

**ChildDemograp** 1.03 Child Demographic Variables                                    **Type:** Num
   **hics:**

   **Column:** 1005-1006                                                      **SAS Variable Name:** _CRACE

   **Prologue:**

**Description:** Child multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | White only | 731 | 58.43 | 62.37 |
|   | Notes: CRACEASC = 1 | | | |
| 2 | Black or African American only | 27 | 2.16 | 4.17 |
|   | Notes: CRACEASC =2 | | | |
| 3 | Asian Only | 24 | 1.92 | 2.81 |
|   | Notes: CRACEASC = 3 | | | |
| 4 | Native Hawaiian or other Pacific Islander only | 9 | 0.72 | 0.58 |
|   | Notes: CRACEASC = 4 | | | |
| 5 | American Indian or Alaskan Native only | 61 | 4.88 | 2.43 |
|   | Notes: CRACEASC = 5 | | | |
| 6 | Other race only | 338 | 27.02 | 20.54 |
|   | Notes: CRACEASC = 6 | | | |
| 7 | Multiracial | 28 | 2.24 | 3.58 |
|   | Notes: CRACEASC >= 12 | | | |
| 77 | Don't know/Not sure | 14 | 1.12 | 0.49 |
|   | Notes: CRACEASC = 7 | | | |
| 99 | Refused | 19 | 1.52 | 3.02 |
|   | Notes: CRACEASC = 9 | | | |
| BLANK | Missing | 3,482 | | |
|   | Notes: CRACEASC = Missing | | | |

**Child Age**

**ChildDemograp** 1.04 Child Demographic Variables                                    **Type:** Num
   **hics:**

   **Column:** 1007-1009                                                      **SAS Variable Name:** CHILDAGE

   **Prologue:**

**Description:** Child Age

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 11 | 0 Years old | 61 | 5.00 | 5.49 |
| 12 – 23 | 1 Year old | 51 | 4.18 | 6.37 |
| 24 – 35 | 2 Years old | 55 | 4.50 | 7.01 |
| 36 – 47 | 3 Years old | 51 | 4.18 | 5.08 |
| 48 – 59 | 4 Years old | 76 | 6.22 | 8.29 |
| 60 – 71 | 5 Years old | 55 | 4.50 | 5.22 |
| 72 – 83 | 6 Years old | 54 | 4.42 | 5.54 |
| 84 – 95 | 7 Years old | 69 | 5.65 | 4.54 |
| 96 – 107 | 8 Years old | 68 | 5.57 | 5.75 |
| 108 – 119 | 9 Years old | 84 | 6.88 | 7.57 |
| 120 – 131 | 10 Years old | 66 | 5.41 | 4.47 |
| 132 – 143 | 11 Years old | 60 | 4.91 | 4.23 |
| 144 – 155 | 12 Years old | 86 | 7.04 | 6.85 |
| 156 – 167 | 13 Years old | 73 | 5.98 | 4.53 |
| 168 – 179 | 14 Years old | 70 | 5.73 | 4.20 |
| 180 – 191 | 15 Years old | 91 | 7.45 | 5.96 |
| 192 – 203 | 16 Years old | 75 | 6.14 | 3.97 |
| 204 – 215 | 17 Years old | 76 | 6.22 | 4.91 |
| BLANK | Not asked or Missing | 3,512 | | |

**Child gender group codes used in post-stratification.**
**ChildWeighting:** 1.05 Child Weighting Variables                                    **Type:** Num
    **Column:** 1010                                    **SAS Variable Name:** _CSEXG_
    **Prologue:**
**Description:** Child gender categories used in post-stratification  (_CSEXG_ is calculated by _REGION. For states using more than
    one _REGION, there could be more than one response for a given _CSEXG_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Male | 700 | 54.95 | 56.80 |
| 2 | Female | 574 | 45.05 | 43.20 |
| BLANK | Missing | 3,459 | | |

**Child race group codes used in post-stratification.**
**ChildWeighting:** 1.06 Child Weighting Variables                                    **Type:** Num
    **Column:** 1011                                    **SAS Variable Name:** _CRACEG_
    **Prologue:**
**Description:** Child post-stratification race group codes used in weighting  (_CRACEG_ is calculated by _REGION. For states using
    more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 | Any race and ethnicity | 1,274 | 100.00 | 100.00 |
| BLANK | Missing | 3,459 | | |

**Child age group codes used in post-stratification.**
**ChildWeighting:** 1.07 Child Weighting Variables                                    **Type:** Num
    **Column:** 1012-1014                                    **SAS Variable Name:** _CAGEG_
    **Prologue:**
**Description:** Child age groups used in post-stratification  (_CAGEG_ is calculated by _REGION. For states using more than one
    _REGION, there could be more than one response for a given _CAGEG_ value.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Age 0 to 4 | 294 | 23.08 | 30.66 |
| 2 | Age 5 to 9 | 330 | 25.90 | 27.23 |
| 3 | Age 10 to 14 | 408 | 32.03 | 28.00 |
| 4 | Age 15 to 17 | 242 | 19.00 | 14.11 |
| BLANK | Missing | 3,459 | | |

**Raw child weighting factor questionnaire version 1**
**ChildWeighting:** 1.08 Child Weighting Variables                                    **Type:** Num
    **Column:** 1015-1024                                    **SAS Variable Name:** _RAWCH1
    **Prologue:**
**Description:** Raw child weighting factor questionnaire version 1  (Number of children in the household (CHILDREN) divided by the
    imputed number of phones (_IMPNPH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Raw child weighting factor questionnaire version 2**

**ChildWeighting:** 1.09 Child Weighting Variables          **Type:** Num

       **Column:** 1025-1034          **SAS Variable Name:** _RAWCH2

       **Prologue:**

**Description:** Raw child weighting factor questionnaire version 2  (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Raw child weighting factor**

**ChildWeighting:** 1.10 Child Weighting Variables          **Type:** Num

       **Column:** 1035-1044          **SAS Variable Name:** _RAWCH

       **Prologue:**

**Description:** Raw child weighting factor  (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed<br>Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,733 | 100.00 | 100.00 |

**Child design weight questionnaire version 1**

**ChildWeighting:** 1.11 Child Weighting Variables          **Type:** Num

       **Column:** 1045-1054          **SAS Variable Name:** _WT2CH1

       **Prologue:**

**Description:** Child design weight questionnaire version 1  (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH1).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Child design weight questionnaire version 2**

**ChildWeighting:** 1.12 Child Weighting Variables          **Type:** Num

       **Column:** 1055-1064          **SAS Variable Name:** _WT2CH2

       **Prologue:**

**Description:** Child design weight questionnaire version 2  (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH2).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Child design weight**

**ChildWeighting:** 1.13 Child Weighting Variables          **Type:** Num

       **Column:** 1065-1074          **SAS Variable Name:** _WT2CH

       **Prologue:**

**Description:** Child design weight  (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed<br>Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,733 | 100.00 | 100.00 |

**Post-stratification child weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).**

**ChildWeighting:** 1.14 Child Weighting Variables **Type:** Num
    **Column:** 1075-1084 **SAS Variable Name:** _POSTCH1
    **Prologue:**
**Description:** Post-stratification child weight questionnaire version 1 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 1.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Post-stratification child weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).**

**ChildWeighting:** 1.15 Child Weighting Variables **Type:** Num
    **Column:** 1085-1094 **SAS Variable Name:** _POSTCH2
    **Prologue:**
**Description:** Post-stratification child weight questionnaire version 2 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 2.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | | 4,733 | 100.00 | 100.00 |

**Post-stratification child weight**

**ChildWeighting:** 1.16 Child Weighting Variables **Type:** Num
    **Column:** 1095-1104 **SAS Variable Name:** _POSTCH
    **Prologue:**
**Description:** Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2CH1**

**ChildWeighting:** 1.17 Child Weighting Variables **Type:** Num
    **Column:** 1105-1114 **SAS Variable Name:** _CHILDQ1
    **Prologue:**
**Description:** Final weight assigned to each child questionnaire version 1 (Post-stratification child weight (_POSTCH1) multiplied by child design weight (_WT2CH1).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | | 4,733 | | |

**Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2CH2**

**ChildWeighting:** 1.18 Child Weighting Variables **Type:** Num
    **Column:** 1115-1124 **SAS Variable Name:** _CHILDQ2
    **Prologue:**
**Description:** Final weight assigned to each child questionnaire version 2 (Post-stratification child weight (_POSTCH2) multiplied by child design weight (_WT2CH2).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| BLANK | | 4,733 | | |

**Final child weight**

**ChildWeighting:** 1.19 Child Weighting Variables
**Type:** Num

**Column:** 1125-1134
**SAS Variable Name:** _CHILDWT

**Prologue:**

**Description:** Final weight assigned to each child  (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Raw household  weighting factor**

**HouseholdWeig hting:** 1.32 Household Weighting Variables
**Type:** Num

**Column:** 1135-1144
**SAS Variable Name:** _RAWHH

**Prologue:**

**Description:** Raw household  weighting factor  (One divided by the imputed number of phones (_IMPNPH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Household design weight**

**HouseholdWeig hting:** 1.33 Household Weighting Variables
**Type:** Num

**Column:** 1145-1154
**SAS Variable Name:** _WT2HH

**Prologue:**

**Description:** Household design weight  (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Post-stratification household weight**

**HouseholdWeig hting:** 1.34 Household Weighting Variables
**Type:** Num

**Column:** 1155-1164
**SAS Variable Name:** _POSTHH

**Prologue:**

**Description:** Post-stratification household weight  (Population estimate for households divided by the weighted sample frequency for households.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed | 4,733 | 100.00 | 100.00 |
| | Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | | | |

**Final household weight**

| | | |
|---|---|---|
| **HouseholdWeighting:** | 1.35 Household Weighting Variables | **Type:** Num |
| **Column:** | 1165-1174 | **SAS Variable Name:** _HOUSEWT |
| **Prologue:** | | |

**Description:** Final weight assigned to each household  (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| HIDDEN | Data not displayed<br>Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,733 | 100.00 | 100.00 |

**Adults with good or better health**

| | | |
|---|---|---|
| **CalculatedVariables:** | 1.1  Calculated Variables | **Type:** Num |
| **Column:** | 1175 | **SAS Variable Name:** _RFHLTH |
| **Prologue:** | | |

**Description:** Adults with good or better health

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Good or Better Health<br>Notes: GENHLTH = 1 or 2 or 3 | 3,731 | 78.83 | 82.28 |
| 2 | Fair or Poor Health<br>Notes: GENHLTH = 4 or 5 | 968 | 20.45 | 17.27 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: GENHLTH = 7 or 9 or Missing | 34 | 0.72 | 0.45 |

**Respondents aged 18-64 with health care coverage**

| | | |
|---|---|---|
| **CalculatedVariables:** | 3.1  Calculated Variables | **Type:** Num |
| **Column:** | 1176 | **SAS Variable Name:** _HCVU65 |
| **Prologue:** | | |

**Description:** Respondents aged 18-64 that have any form of health care coverage

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Have health care coverage<br>Notes: 18 <= AGE <=64 and HLTHPLAN = 1 | 2,536 | 53.58 | 63.54 |
| 2 | Do not have health care coverage<br>Notes: 18 <= AGE <=64 and HLTHPLAN = 2 | 645 | 13.63 | 17.79 |
| 9 | Don't know/Not Sure, Refused or Missing<br>Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing | 1,552 | 32.79 | 18.67 |

**Leisure Time Physical Activity Calculated Variable**

| | | |
|---|---|---|
| **CalculatedVariables:** | 4.1  Calculated Variables | **Type:** Num |
| **Column:** | 1177 | **SAS Variable Name:** _TOTINDA |
| **Prologue:** | | |

**Description:** Adults that report doing physical activity or exercise during the past 30 days other than their regular job

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Had physical activity or exercise<br>Notes: EXERANY2 = 1 | 3,501 | 73.97 | 77.59 |
| 2 | No physical activity or exercise in last 30 days<br>Notes: EXERANY2 = 2 | 1,226 | 25.90 | 22.37 |
| 9 | Don't know/Refused/Missing<br>Notes: EXERANY2 = 7 or 9 or Missing | 6 | 0.13 | 0.05 |

**High Blood Pressure Calculated Variable**

| CalculatedVariables: | 6.1 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1178                                                                                   **SAS Variable Name:** _RFHYPE5

**Prologue:**

**Description:** Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: BPHIGH4 = 2 or 3 or 4 | 3,119 | 65.90 | 75.05 |
| 2 | Yes<br>Notes: BPHIGH4 = 1 | 1,602 | 33.85 | 24.77 |
| 9 | Don't know/Not Sure/Refused/Missing<br>Notes: BPHIGH4 = 7 or 9 or Missing | 12 | 0.25 | 0.18 |

**Cholesterol Checked Calculated Variable**

| CalculatedVariables: | 7.1 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1179                                                                                   **SAS Variable Name:** _CHOLCHK

**Prologue:**

**Description:** Cholesterol check within past five years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Had cholesterol checked in past 5 years.<br>Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3 | 3,587 | 75.79 | 69.66 |
| 2 | Did not have cholesterol checked in past 5 years<br>Notes: BLOODCHO = 1 and CHOLCHK = 4 | 154 | 3.25 | 2.91 |
| 3 | Have never had cholesterol checked<br>Notes: BLOODCHO = 2 | 859 | 18.15 | 24.32 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: BLOODCHO = 7 or 9 or Missing  or CHOLCHK = 7 or 9 or Missing | 133 | 2.81 | 3.10 |

**High Cholesterol Calculated Variable**

| CalculatedVariables: | 7.2 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1180                                                                                   **SAS Variable Name:** _RFCHOL

**Prologue:**

**Description:** Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: BLOODCHO=1 and TOLDHI2 = 2 | 2,126 | 56.08 | 60.83 |
| 2 | Yes<br>Notes: BLOODCHO=1 and TOLDHI2 = 1 | 1,630 | 43.00 | 37.81 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing | 35 | 0.92 | 1.37 |
| BLANK | Missing<br>Notes: BLOODCHO = 2 or 7 or 9 or Missing | 942 | | |

**Lifetime Asthma Calculated Variable**

**CalculatedVariables:** 9.1  Calculated Variables

**Column:** 1181

**Prologue:**

**Description:** Adults who have ever been told they have asthma

**Type:** Num

**SAS Variable Name:** _LTASTHM

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: ASTHMA2 = 2 | 4,057 | 85.72 | 85.82 |
| 2 | Yes<br>Notes: ASTHMA2 = 1 | 664 | 14.03 | 13.99 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: ASTHMA2 = 7 or 9 or Missing | 12 | 0.25 | 0.19 |

**Current Asthma Calculated Variable**

**CalculatedVariables:** 9.2  Calculated Variables

**Column:** 1182

**Prologue:**

**Description:** Adults who have been told they currently have asthma

**Type:** Num

**SAS Variable Name:** _CASTHMA

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2 | 4,261 | 90.03 | 90.88 |
| 2 | Yes<br>Notes: ASTHMA2 = 1 and ASTHNOW = 1 | 436 | 9.21 | 8.61 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 36 | 0.76 | 0.51 |

**Computed Asthma Status**

**CalculatedVariables:** 9.3  Calculated Variables

**Column:** 1183

**Prologue:**

**Description:** Computed asthma status

**Type:** Num

**SAS Variable Name:** _ASTHMST

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Current<br>Notes: ASTHMA2 = 1 and ASTHNOW = 1 | 436 | 9.21 | 8.61 |
| 2 | Former<br>Notes: ASTHMA2 = 1 and ASTHNOW = 2 | 204 | 4.31 | 5.06 |
| 3 | Never<br>Notes: ASTHMA2 = 2 | 4,057 | 85.72 | 85.82 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: ASTHMA2 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 36 | 0.76 | 0.51 |

**Flu Shot Calculated Variable**

**CalculatedVaria bles:** 10.1  Calculated Variables          **Type:** Num

**Column:** 1184                                              **SAS Variable Name:** _FLSHOT3

**Prologue:**

**Description:** Adults aged 65+ who have had a flu shot within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes<br>Notes: AGE >=65 and FLUSHOT3 = 1 | 977 | 63.69 | 66.10 |
| 2 | No<br>Notes: AGE >=65 and FLUSHOT3 = 2 | 502 | 32.72 | 29.76 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: AGE = 7 or 9 or Missing or FLUSHOT3 = 7 or 9 or Missing | 55 | 3.59 | 4.14 |
| BLANK | Age Less Than 65<br>Notes: AGE < 65 | 3,199 | | |

**Pneumonia Vaccination Calculated Variable**

**CalculatedVaria bles:** 10.2  Calculated Variables          **Type:** Num

**Column:** 1185                                              **SAS Variable Name:** _PNEUMO2

**Prologue:**

**Description:** Adults aged 65+ who have ever had a pneumonia vaccination

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes<br>Notes: AGE >= 65 and PNEUVAC3 = 1 | 953 | 62.13 | 61.95 |
| 2 | No<br>Notes: AGE >= 65 and PNEUVAC3 = 2 | 474 | 30.90 | 30.30 |
| 9 | Don't know/Not Sure Or Refused/Missing<br>Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing | 107 | 6.98 | 7.74 |
| BLANK | Age Less Than 65<br>Notes: AGE < 65 | 3,199 | | |

**Computed Smoking Status**

**CalculatedVaria bles:** 11.1  Calculated Variables          **Type:** Num

**Column:** 1186                                              **SAS Variable Name:** _SMOKER3

**Prologue:**

**Description:** Four-level smoker status:  Everyday smoker, Someday smoker, Former smoker, Non-smoker

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Current smoker - now smokes every day<br>Notes: SMOKE100 = 1 and SMOKEDAY = 1 | 608 | 12.85 | 13.61 |
| 2 | Current smoker - now smokes some days<br>Notes: SMOKE100 = 1 and SMOKEDAY = 2 | 231 | 4.88 | 6.13 |
| 3 | Former smoker<br>Notes: SMOKE100 = 1 and SMOKEDAY = 3 | 1,368 | 28.90 | 23.97 |
| 4 | Never smoked<br>Notes: SMOKE100 = 2 | 2,504 | 52.91 | 55.99 |
| 9 | Don't know/Refused/Missing<br>Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing | 22 | 0.46 | 0.30 |

**Current Smoking Calculated Variable**

| | | |
|---|---|---|
| **CalculatedVaria bles:** | 11.2  Calculated Variables | **Type:** Num |
| **Column:** 1187 | | **SAS Variable Name:** _RFSMOK3 |
| **Prologue:** | | |

**Description:** Adults who are current smokers

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: _SMOKER3 = 3 or 4 | 3,872 | 81.81 | 79.96 |
| 2 | Yes<br>Notes: _SMOKER3 = 1 or 2 | 839 | 17.73 | 19.74 |
| 9 | Don't know/Refused/Missing<br>Notes: _SMOKER3 = 9 | 22 | 0.46 | 0.30 |

**MRACE with trailing 7,8,9s removed calculated variable**

| | | |
|---|---|---|
| **CalculatedVaria bles:** | 12.1  Calculated Race Variables | **Type:** Char |
| **Column:** 1188-1193 | | **SAS Variable Name:** MRACEORG |
| **Prologue:** | | |

**Description:** MRACE with trailing 7,8,9s removed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | Don't know/Not sure<br>Notes: MRACE = 7 | 36 | 0.76 | 0.81 |
| 9 | Refused<br>Notes: MRACE = 9 | 49 | 1.04 | 0.90 |
| HIDDEN | Data not displayed<br>Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,648 | 98.20 | 98.29 |

**MRACEORG with responses in ascending order calculated variable**

| | | |
|---|---|---|
| **CalculatedVaria bles:** | 12.2  Calculated Race Variables | **Type:** Char |
| **Column:** 1194-1199 | | **SAS Variable Name:** MRACEASC |
| **Prologue:** | | |

**Description:** MRACE with 7,8,9s removed, in ascending order

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 7 | Don't know/Not sure<br>Notes: MRACEORG = 7 | 36 | 0.76 | 0.81 |
| 9 | Refused<br>Notes: MRACEORG = 9 | 49 | 1.04 | 0.90 |
| HIDDEN | Data not displayed<br>Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 4,648 | 98.20 | 98.29 |

**Computed Preferred Race**

**CalculatedVariables:** 12.3  Calculated Race Variables          **Type:** Num

**Column:** 1200-1201          **SAS Variable Name:** _PRACE

**Prologue:**

**Description:** Preferred race category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White<br>Notes: MRACEASC = 1 | 3,623 | 76.55 | 74.18 |
| 2 | Black or African American<br>Notes: MRACEASC = 2 | 86 | 1.82 | 3.37 |
| 3 | Asian<br>Notes: MRACEASC = 3 | 62 | 1.31 | 2.70 |
| 4 | Native Hawaiian or other Pacific Islander<br>Notes: MRACEASC = 4 | 20 | 0.42 | 0.49 |
| 5 | American Indian or Alaskan Native<br>Notes: MRACEASC = 5 | 170 | 3.59 | 2.97 |
| 6 | Other race<br>Notes: MRACEASC = 6 | 680 | 14.37 | 14.33 |
| 7 | No preferred race<br>Notes: MRACEASC >= 12 and ORACE2 = 7 or 9 | 7 | 0.15 | 0.25 |
| 77 | Don't know/Not sure<br>Notes: MRACEASC = 7 | 36 | 0.76 | 0.81 |
| 99 | Refused<br>Notes: MRACEASC = 9 | 49 | 1.04 | 0.90 |

**Computed non-Hispanic Race including Multiracial**

**CalculatedVariables:** 12.4  Calculated Race Variables          **Type:** Num

**Column:** 1202-1203          **SAS Variable Name:** _MRACE

**Prologue:**

**Description:** Multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White only<br>Notes: MRACEASC = 1 | 3,601 | 76.08 | 73.77 |
| 2 | Black or African American only<br>Notes: MRACEASC = 2 | 83 | 1.75 | 3.27 |
| 3 | Asian Only<br>Notes: MRACEASC = 3 | 60 | 1.27 | 2.55 |
| 4 | Native Hawaiian or other Pacific Islander only<br>Notes: MRACEASC = 4 | 18 | 0.38 | 0.48 |
| 5 | American Indian or Alaskan Native only<br>Notes: MRACEASC = 5 | 166 | 3.51 | 2.92 |
| 6 | Other race only<br>Notes: MRACEASC = 6 | 678 | 14.32 | 14.32 |
| 7 | Multiracial<br>Notes: MRACEASC >= 12 | 42 | 0.89 | 0.98 |
| 77 | Don't know/Not sure<br>Notes: MRACEASC = 7 | 36 | 0.76 | 0.81 |
| 99 | Refused<br>Notes: MRACEASC = 9 | 49 | 1.04 | 0.90 |

**Computed Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.**

**CalculatedVaria** 12.5  Calculated Race Variables        **Type:** Num
**bles:**

    **Column:** 1204          **SAS Variable Name:** _RACEG2

    **Prologue:**

**Description:** White/Hispanic race group

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Non-Hispanic White<br>Notes: RACE2 = 1 | 3,242 | 68.50 | 67.11 |
| 2 | Non-White or Hispanic<br>Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8 | 1,446 | 30.55 | 32.10 |
| 9 | Don't know/Not sure/Refused<br>Notes: RACE2 = 9 | 45 | 0.95 | 0.80 |

**Computed Five level race/ethnicity category.**

**CalculatedVaria** 12.6  Calculated Race Variables        **Type:** Num
**bles:**

    **Column:** 1205          **SAS Variable Name:** _RACEGR2

    **Prologue:**

**Description:** Five-level race/ethnicity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White only, Non-Hispanic<br>Notes: RACE2 = 1 | 3,242 | 68.50 | 67.11 |
| 2 | Black only, Non-Hispanic<br>Notes: RACE2 = 2 | 77 | 1.63 | 3.19 |
| 3 | Other race only, Non-Hispanic<br>Notes: RACE2 = 3 or 4 or 5 or 6 | 259 | 5.47 | 7.15 |
| 4 | Multiracial, Non-Hispanic<br>Notes: RACE2 = 7 | 37 | 0.78 | 0.82 |
| 5 | Hispanic<br>Notes: RACE2 = 8 | 1,073 | 22.67 | 20.94 |
| 9 | Don't know/Not sure/Refused<br>Notes: RACE2 = 9 | 45 | 0.95 | 0.80 |

**Computed race groups used for internet prevalence tables**

**CalculatedVaria** 12.7  Calculated Race Variables        **Type:** Num
**bles:**

    **Column:** 1206          **SAS Variable Name:** _RACE_G

    **Prologue:**

**Description:** Race groups used for internet prevalence tables

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White – Non-Hispanic<br>Notes: _RACEGR2 = 1 | 3,242 | 69.16 | 67.64 |
| 2 | Black – Non-Hispanic<br>Notes: _RACEGR2 = 2 | 77 | 1.64 | 3.21 |
| 3 | Hispanic<br>Notes: _RACEGR2 = 5 | 1,073 | 22.89 | 21.11 |
| 4 | Other race only, Non-Hispanic<br>Notes: _RACEGR2 = 3 | 259 | 5.52 | 7.20 |
| 5 | Multiracial, Non-Hispanic<br>Notes: _RACEGR2 = 4 | 37 | 0.79 | 0.83 |
| BLANK | Don't know/Not sure/Refused component question<br>Notes: _RACEGR2 = 9 or Missing | 45 | | |

**Computed number of census race categories chosen**

**CalculatedVariables:** 12.8 Calculated Race Variables                                    **Type:** Num

**Column:** 1207                                                                **SAS Variable Name:** _CNRACE

**Prologue:**

**Description:** Number of census race categories chosen

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 0 | Other/do not know/refused<br>Notes: 6 <= MRACEASC <= 9 | 763 | 16.12 | 16.03 |
| 1 | 1 category chosen<br>Notes: MRACEASC had one race category | 3,933 | 83.10 | 83.01 |
| 2 | 2 category chosen<br>Notes: MRACEASC had two race categories | 36 | 0.76 | 0.93 |
| 3 | 3 category chosen<br>Notes: MRACEASC had three race categories | 1 | 0.02 | 0.02 |

**Computed number of census race categories chosen, collapsed**

**CalculatedVariables:** 12.9 Calculated Race Variables                                    **Type:** Num

**Column:** 1208                                                                **SAS Variable Name:** _CNRACEC

**Prologue:**

**Description:** Number of census race categories chosen, collapsed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | One category chosen<br>Notes: _CNRACE = 1 | 3,933 | 99.07 | 98.86 |
| 2 | Two or more categories chosen<br>Notes: _CNRACE > 1 | 37 | 0.93 | 1.14 |
| BLANK | _CNRACE = 0 or missing<br>Notes: _CNRACE = 0 | 763 | | |

**Computed Race-Ethnicity grouping**

**CalculatedVariables:** 12.10 Calculated Race Variables                                   **Type:** Num

**Column:** 1209                                                                **SAS Variable Name:** RACE2

**Prologue:**

**Description:** Race/ethnicity categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | White only, non-Hispanic<br>Notes: HISPANC2 = 2 and _MRACE = 1 | 3,242 | 68.50 | 67.11 |
| 2 | Black only, non-Hispanic<br>Notes: HISPANC2 = 2 and _MRACE = 2 | 77 | 1.63 | 3.19 |
| 3 | Asian only, non-Hispanic<br>Notes: HISPANC2 = 2 and _MRACE = 3 | 55 | 1.16 | 2.48 |
| 4 | Native Hawaiian or other Pacific Islander only, No<br>Notes: HISPANC2 = 2 and _MRACE = 4 | 16 | 0.34 | 0.46 |
| 5 | American Indian or Alaskan Native only, Non-Hispan<br>Notes: HISPANC2 = 2 and _MRACE = 5 | 151 | 3.19 | 2.56 |
| 6 | Other race only, non-Hispanic<br>Notes: HISPANC2 = 2 and _MRACE = 6 | 37 | 0.78 | 1.65 |
| 7 | Multiracial, non-Hispanic<br>Notes: HISPANC2 = 2 and _MRACE = 7 | 37 | 0.78 | 0.82 |
| 8 | Hispanic<br>Notes: HISPANC2 = 1 | 1,073 | 22.67 | 20.94 |
| 9 | Don't know/Not sure/Refused<br>Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2 | 45 | 0.95 | 0.80 |

**Reported age in five-year age categories calculated variable**

**CalculatedVaria** 12.11 Calculated Variables                                          **Type:** Num
**bles:**

**Column:** 1210-1211                                                    **SAS Variable Name:** _AGEG5YR

**Prologue:**

**Description:** Fourteen-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Age 18 to 24<br>Notes: 18 <= AGE <= 24 | 162 | 3.42 | 8.82 |
| 2 | Age 25 to 29<br>Notes: 25 <= AGE <= 29 | 224 | 4.73 | 9.56 |
| 3 | Age 30 to 34<br>Notes: 30 <= AGE <= 34 | 306 | 6.47 | 13.10 |
| 4 | Age 35 to 39<br>Notes: 35 <= AGE <= 39 | 322 | 6.80 | 11.17 |
| 5 | Age 40 to 44<br>Notes: 40 <= AGE <= 44 | 315 | 6.66 | 8.57 |
| 6 | Age 45 to 49<br>Notes: 45 <= AGE <= 49 | 424 | 8.96 | 7.83 |
| 7 | Age 50 to 54<br>Notes: 50 <= AGE <= 54 | 485 | 10.25 | 9.10 |
| 8 | Age 55 to 59<br>Notes: 55 <= AGE <= 59 | 463 | 9.78 | 6.86 |
| 9 | Age 60 to 64<br>Notes: 60 <= AGE <= 64 | 498 | 10.52 | 6.61 |
| 10 | Age 65 to 69<br>Notes: 65 <= AGE <= 69 | 439 | 9.28 | 5.34 |
| 11 | Age 70 to 74<br>Notes: 70 <= AGE <= 74 | 382 | 8.07 | 4.29 |
| 12 | Age 75 to 79<br>Notes: 75 <= AGE <= 79 | 313 | 6.61 | 3.52 |
| 13 | Age 80 or older<br>Notes: 80 <= AGE <= 99 | 349 | 7.37 | 4.51 |
| 14 | Don't know/Refused/Missing<br>Notes: 7 <= AGE <= 9 | 51 | 1.08 | 0.71 |

**Reported age in two age groups calculated variable**

**CalculatedVaria** 12.12 Calculated Variables                                          **Type:** Num
**bles:**

**Column:** 1212                                                         **SAS Variable Name:** _AGE65YR

**Prologue:**

**Description:** Two-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Age 18 to 64<br>Notes: 18 <= AGE <= 64 | 3,199 | 67.59 | 81.63 |
| 2 | Age 65 or older<br>Notes: 65 <= AGE <= 99 | 1,483 | 31.33 | 17.66 |
| 3 | Don't know/Refused/Missing<br>Notes: 7 <= AGE <= 9 | 51 | 1.08 | 0.71 |

**Imputed age in six groups**

| CalculatedVariables: | 12.13 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1213

**SAS Variable Name:** _AGE_G

**Prologue:**

**Description:** Six-level imputed age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Age 18 to 24<br>Notes: 18 <= AGE <= 24 | 162 | 3.42 | 8.82 |
| 2 | Age 25 to 34<br>Notes: 25 <= AGE <= 34 | 530 | 11.20 | 22.66 |
| 3 | Age 35 to 44<br>Notes: 35 <= AGE <= 44 | 637 | 13.46 | 19.74 |
| 4 | Age 45 to 54<br>Notes: 45 <= AGE <= 54 | 923 | 19.50 | 17.40 |
| 5 | Age 55 to 64<br>Notes: 55 <= AGE <= 64 | 998 | 21.09 | 13.72 |
| 6 | Age 65 or older<br>Notes: AGE >= 65 | 1,483 | 31.33 | 17.66 |

**Computed Height in Inches**

| CalculatedVariables: | 12.14 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1214-1216

**SAS Variable Name:** HTIN3

**Prologue:**

**Description:** Reported height in inches

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 998 | Height in inches<br>Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998<br>(metric HEIGHT3 value multiplied by 100 and divided by 2.54) | 4,574 | 96.64 | 95.97 |
| 999 | Don't know/Refused/Missing<br>Notes: HEIGHT3 = 7777 or 9999 or missing | 159 | 3.36 | 4.03 |

**Computed Height in Meters**

| CalculatedVariables: | 12.15 Calculated Variables | | | **Type:** Num |
|---|---|---|---|---|

**Column:** 1217-1219

**SAS Variable Name:** HTM3

**Prologue:**

**Description:** Reported height in meters

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 – 998 | Height in meters [2 implied decimal places]<br>Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (non-metric HEIGHT3 value multiplied by 2.54 and divided by 100) | 4,574 | 96.64 | 95.97 |
| 999 | Don't know/Refused/Missing<br>Notes: HEIGHT3 = 7777 or 9999 or missing | 159 | 3.36 | 4.03 |

**Computed Weight in Kilograms**

**CalculatedVaria** 12.16 Calculated Variables                                  **Type:** Num
**bles:**

**Column:** 1220-1224                                               **SAS Variable Name:** WTKG2

**Prologue:**

**Description:** Reported weight in kilograms

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 – 99998 | Weight in kilograms [2 implied decimal places]<br>Notes: 0001 <= WEIGHT2 <= 7776 or 7778 <= WEIGHT2 <= 9998 (non-metric WEIGHT2 value divided by 2.2) | 4,556 | 96.26 | 97.34 |
| 99999 | Don't know/Refused/Missing<br>Notes: WEIGHT2 = 7777 or 9999 or missing | 177 | 3.74 | 2.66 |

**Computed body mass index**

**CalculatedVaria** 12.17 Calculated Variables                                  **Type:** Num
**bles:**

**Column:** 1225-1228                                               **SAS Variable Name:** _BMI4

**Prologue:**

**Description:** Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 – 9998 | 1 or greater<br>Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places) | 4,436 | 93.72 | 93.68 |
| 9999 | Don't know/Refused/Missing<br>Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999 | 297 | 6.28 | 6.32 |

**Computed body mass index categories**

**CalculatedVaria** 12.18 Calculated Variables                                  **Type:** Num
**bles:**

**Column:** 1229                                               **SAS Variable Name:** _BMI4CAT

**Prologue:**

**Description:** Three-categories of Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Neither overweight nor obese<br>Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places) | 1,686 | 35.62 | 34.98 |
| 2 | Overweight<br>Notes: 2500 <= _BMI4 < 3000 | 1,647 | 34.80 | 34.48 |
| 3 | Obese<br>Notes: 3000 <= _BMI4 < 9999 | 1,103 | 23.30 | 24.21 |
| 9 | Don't know/Refused/Missing<br>Notes: _BMI4 = 9999 | 297 | 6.28 | 6.32 |

**Overweight or obese calculated variable**

**CalculatedVaria** 12.19 Calculated Variables                                  **Type:** Num
**bles:**

**Column:** 1230                                               **SAS Variable Name:** _RFBMI4

**Prologue:**

**Description:** Adults who have a body mass index greater than 25.00 (Overweight or Obese)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | No<br>Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places) | 1,686 | 35.62 | 34.98 |
| 2 | Yes<br>Notes: 2500 <= _BMI4 < 9999 | 2,750 | 58.10 | 58.69 |
| 9 | Don't know/Refused/Missing<br>Notes: _BMI4 = 9999 | 297 | 6.28 | 6.32 |

**Computed number of children in household**

**CalculatedVaria** 12.20 Calculated Variables
**bles:**

**Column:** 1231

**Prologue:**

**Description:** Number of children in household

**Type:** Num

**SAS Variable Name:** _CHLDCNT

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | No children in household<br>Notes: CHILDREN = 88 | 3,242 | 68.50 | 52.54 |
| 2 | One child in household<br>Notes: CHILDREN = 01 | 513 | 10.84 | 14.43 |
| 3 | Two children in household<br>Notes: CHILDREN = 02 | 534 | 11.28 | 18.50 |
| 4 | Three children in household<br>Notes: CHILDREN = 03 | 272 | 5.75 | 8.00 |
| 5 | Four children in household<br>Notes: CHILDREN = 04 | 102 | 2.16 | 4.15 |
| 6 | Five or more children in household<br>Notes: 05 <= CHILDREN < 88 | 56 | 1.18 | 1.94 |
| 9 | Don't know/Not sure/Missing<br>Notes: CHILDREN = 99 | 14 | 0.30 | 0.44 |

**Computed level of education completed categories**

**CalculatedVaria** 12.21 Calculated Variables
**bles:**

**Column:** 1232

**Prologue:**

**Description:** Level of education completed

**Type:** Num

**SAS Variable Name:** _EDUCAG

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Did not graduate High School<br>Notes: EDUCA = 1 or 2 or 3 | 566 | 11.96 | 11.95 |
| 2 | Graduated High School<br>Notes: EDUCA = 4 | 1,328 | 28.06 | 24.98 |
| 3 | Attended College or Technical School<br>Notes: EDUCA = 5 | 1,399 | 29.56 | 28.78 |
| 4 | Graduated from College or Technical School<br>Notes: EDUCA = 6 | 1,423 | 30.07 | 33.80 |
| 9 | Don't know/Not sure/Missing<br>Notes: EDUCA = 9 or Missing | 17 | 0.36 | 0.49 |

**Computed income categories**

**CalculatedVariables:** 12.22 Calculated Variables

**Type:** Num

**Column:** 1233

**SAS Variable Name:** _INCOMG

**Prologue:**

**Description:** Income categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Less than $15,000<br>Notes: INCOME2 = 1 or 2 | 481 | 10.16 | 6.68 |
| 2 | $15,000 to less than $25,000<br>Notes: INCOME2 = 3 or 4 | 763 | 16.12 | 13.17 |
| 3 | $25,000 to less than $35,000<br>Notes: INCOME2 = 5 | 539 | 11.39 | 9.93 |
| 4 | $35,000 to less than $50,000<br>Notes: INCOME2 = 6 | 722 | 15.25 | 14.35 |
| 5 | $50,000 or more<br>Notes: INCOME2 = 7 or 8 | 1,516 | 32.03 | 43.41 |
| 9 | Don't know/Not sure/Missing<br>Notes: INCOME2 = 77 or 99 or Missing | 712 | 15.04 | 12.45 |

**Computed drink-occasions-per-day**

**CalculatedVariables:** 13.1 Calculated Variables

**Type:** Num

**Column:** 1234-1236

**SAS Variable Name:** DROCDY2_

**Prologue:**

**Description:** Drink-occasions-per-day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 | No Drink-Occasions per day<br>Notes: ALCDAY4 = 888 or DRNKANY4 = 2 | 2,459 | 51.95 | 46.79 |
| 1 - 899 | Drink-Occasions per day<br>Notes: ALCDAY4 <= 231 | 2,169 | 45.83 | 51.30 |
| 900 | Don't know/Not Sure Or Refused/Missing<br>Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing | 105 | 2.22 | 1.91 |

**Binge Drinking Calculated Variable**

**CalculatedVariables:** 13.2 Calculated Variables

**Type:** Num

**Column:** 1237

**SAS Variable Name:** _RFBING4

**Prologue:**

**Description:** Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | No<br>Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888 | 4,068 | 85.95 | 82.55 |
| 2 | Yes<br>Notes: ALCDAY4 < 300 and DRNK3GE5 = 1 | 509 | 10.75 | 14.49 |
| 9 | Don't know/Refused/Missing<br>Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing | 156 | 3.30 | 2.96 |

**Computed number of drinks of alcohol beverages per day**

CalculatedVaria 13.3  Calculated Variables
bles:

**Type:** Num

Column: 1238-1241

**SAS Variable Name:** _DRNKDY3

Prologue:

**Description:** Calculated total number of alcoholic beverages consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 0 | Did not drink<br>Notes: ALCDAY4 = 888 | 2,459 | 51.95 | 46.79 |
| 1 - 9899 | Number of drinks per day<br>Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2 | 2,110 | 44.58 | 50.27 |
| 9900 | Don't know/Not sure/Refused/Missing<br>Notes: ALCDAY4 = 777 or 999 or Missing | 164 | 3.47 | 2.94 |

**Computed total number drinks a month**

CalculatedVaria 13.4  Calculated Variables
bles:

**Type:** Num

Column: 1242-1245

**SAS Variable Name:** _DRNKMO3

Prologue:

**Description:** Calculated total number of alcoholic beverages consumed per month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 0 | Did not drink in the past month<br>Notes: _DRNKDY3 = 0 | 2,459 | 51.95 | 46.79 |
| 1 - 9998 | Number of Drinks<br>Notes: _DRNKDY3 * 30 | 2,110 | 44.58 | 50.27 |
| 9999 | Don't know/Refused/Missing<br>Notes: _DRNKDY3 = 900 | 164 | 3.47 | 2.94 |

**Heavy Alcohol Consumption  Calculated Variable**

CalculatedVaria 13.5  Calculated Variables
bles:

**Type:** Num

Column: 1246

**SAS Variable Name:** _RFDRHV3

Prologue:

**Description:** Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No<br>Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888 | 4,327 | 91.42 | 91.39 |
| 2 | Yes<br>Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1 | 242 | 5.11 | 5.67 |
| 9 | Don't know/Refused/Missing<br>Notes: _DRNKDY3 = 900 | 164 | 3.47 | 2.94 |

**Adult Men Heavy Alcohol Consumption Calculated Variable**

**CalculatedVaria** 13.6  Calculated Variables **Type:** Num
**bles:**

**Column:** 1247 **SAS Variable Name:** _RFDRMN3

**Prologue:**

**Description:** Adult Men that are Heavy drinkers (having more than two drinks per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No | 1,526 | 88.57 | 89.25 |
| | Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888 | | | |
| 2 | Yes | 111 | 6.44 | 6.93 |
| | Notes: SEX = 1 and _DRNKDY3 > 2 | | | |
| 9 | Don't know/Refused/Missing | 86 | 4.99 | 3.82 |
| | Notes: _DRNKDY3 = 900 | | | |
| BLANK | Respondent is female | 3,010 | | |
| | Notes: SEX = 2 | | | |

**Adult Women Heavy Alcohol Consumption Calculated Variable**

**CalculatedVaria** 13.7  Calculated Variables **Type:** Num
**bles:**

**Column:** 1248 **SAS Variable Name:** _RFDRWM3

**Prologue:**

**Description:** Adult Women that are Heavy drinkers (having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | No | 2,801 | 93.06 | 93.49 |
| | Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888 | | | |
| 2 | Yes | 131 | 4.35 | 4.44 |
| | Notes: SEX = 2 and _DRNKDY3 > 1 | | | |
| 9 | Don't know/Refused/Missing | 78 | 2.59 | 2.07 |
| | Notes: _DRNKDY3 = 900 | | | |
| BLANK | Respondent is male | 1,723 | | |
| | Notes: SEX = 1 | | | |

**Respondents diagnosed with arthritis**

**CalculatedVaria** 15.1  Calculated Variables **Type:** Num
**bles:**

**Column:** 1249 **SAS Variable Name:** _DRDXART

**Prologue:**

**Description:** Respondents that have had a doctor diagnose them as having some form of arthritis

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Diagnosed with arthritis | 1,702 | 36.81 | 25.28 |
| | Notes: HAVARTH2 = 1 | | | |
| 2 | Not diagnosed with arthritis | 2,922 | 63.19 | 74.72 |
| | Notes: HAVARTH2 = 2 | | | |
| BLANK | Don´t know/Not Sure/Refused/Missing | 109 | | |
| | Notes: HAVARTH2 = 7 or 9 or Missing | | | |

**Computed Fruit Juice Servings per day**

**CalculatedVaria** 16.1  Calculated Variables                                    **Type:** Num
**bles:**

**Column:** 1250-1252                                                              **SAS Variable Name:** FTJUDAY_

**Prologue:**

**Description:** Fruit juice servings per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= FRUITJUI <= 555 (FRUITJUI-200)/7 per week or (FRUITJUI-300)/30 per month or (FRUITJUI-400)/365 per year | 4,533 | 95.77 | 95.47 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: FRUITJUI = 777 or 999 or Missing | 200 | 4.23 | 4.53 |

**Computed Fruit Servings per day**

**CalculatedVaria** 16.2  Calculated Variables                                    **Type:** Num
**bles:**

**Column:** 1253-1255                                                              **SAS Variable Name:** FRUTDAY_

**Prologue:**

**Description:** Fruit servings per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= FRUIT <= 555 (FRUIT-200)/7 per week or (FRUIT-300)/30 per month or (FRUIT-400)/365 per year | 4,547 | 96.07 | 95.48 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: FRUIT = 777 or 999 or Missing | 186 | 3.93 | 4.52 |

**Computed Green Salad Servings per day**

**CalculatedVaria** 16.3  Calculated Variables                                    **Type:** Num
**bles:**

**Column:** 1256-1258                                                              **SAS Variable Name:** GNSLDAY_

**Prologue:**

**Description:** Green salad servings per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= GREENSAL <= 555 (GREENSAL-200)/7 per week or (GREENSAL-300)/30 per month or (GREENSAL-400)/365 per year | 4,555 | 96.24 | 95.97 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: GREENSAL = 777 or 999 or Missing | 178 | 3.76 | 4.03 |

**Computed Potato Servings per day**

**CalculatedVaria** 16.4  Calculated Variables                                    **Type:** Num
**bles:**

**Column:** 1259-1261                                                              **SAS Variable Name:** POTADAY_

**Prologue:**

**Description:** Potato servings per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= POTATOES <= 555 (POTATOES-200)/7 per week or (POTATOES-300)/30 per month or (POTATOES-400)/365 per year | 4,539 | 95.90 | 94.83 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: POTATOES = 777 or 999 or Missing | 194 | 4.10 | 5.17 |

**Computed Carrot Servings per day**

**CalculatedVaria** 16.5  Calculated Variables
**bles:**

    **Column:** 1262-1264

    **Prologue:**

**Description:** Carrot servings per day

**Type:** Num

**SAS Variable Name:** CRTSDAY_

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= CARROTS <= 555 (CARROTS-200)/7 per week or<br>(CARROTS-300)/30 per month or (CARROTS-400)/365 per year | 4,502 | 95.12 | 95.05 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: CARROTS = 777 or 999 or Missing | 231 | 4.88 | 4.95 |

**Computed Vegetable Servings per day**

**CalculatedVaria** 16.6  Calculated Variables
**bles:**

    **Column:** 1265-1267

    **Prologue:**

**Description:** Vegetable servings per day

**Type:** Num

**SAS Variable Name:** VEGEDAY_

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 989 | Times per day<br>Notes: 101 <= VEGETABL <= 555 (VEGETABL-200)/7 per week or<br>(VEGETABL-300)/30 per month or (VEGETABL-400)/365 per year | 4,485 | 94.76 | 94.42 |
| 990 | Don't know/Not Sure Or Refused/Missing<br>Notes: VEGETABL = 777 or 999 or Missing | 248 | 5.24 | 5.58 |

**Computed total number of servings of fruits and vegetables consumed per day**

**CalculatedVaria** 16.7  Calculated Variables
**bles:**

    **Column:** 1268-1272

    **Prologue:**

**Description:** Fruit and vegetable servings per day

**Type:** Num

**SAS Variable Name:** _FRTSERV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 99998 | Number of times per day<br>Notes: Sum of FTJUDAY_, FRUTDAY_, GNSLDAY_, POTADAY_, CRTSDAY_,<br>VEGEDAY_ (has two implied decimal places) | 4,611 | 97.42 | 96.98 |
| 99999 | Don't know/Refused/Missing | 122 | 2.58 | 3.02 |

**Summary index for fruits and vegetables calculated variable**

**CalculatedVaria** 16.8  Calculated Variables                                                          **Type:** Num
**bles:**

**Column:** 1273                                                                    **SAS Variable Name:** _FRTINDX
**Prologue:**

**Description:** Summary index for fruits and vegetables calculated variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Less than once per day or never<br>Notes: _FRTSERV < 1 | 234 | 4.94 | 5.58 |
| 2 | Once but less than 3 times per day<br>Notes: 1 <= _FRTSERV < 3 | 1,457 | 30.78 | 32.12 |
| 3 | 3 but less than 5 times per day<br>Notes: 3 <=_FRTSERV < 5 | 1,585 | 33.49 | 31.83 |
| 4 | 5 or more times per day<br>Notes: 5 <= _FRTSERV < 999.99 | 1,335 | 28.21 | 27.46 |
| 9 | Don't know/Refused/Missing<br>Notes: _FRTSERV = 99.99 | 122 | 2.58 | 3.02 |


**Consumed five or more servings of fruits or vegetables per day calculated variable**

**CalculatedVaria** 16.9  Calculated Variables                                                          **Type:** Num
**bles:**

**Column:** 1274                                                                     **SAS Variable Name:** _FV5SRV
**Prologue:**

**Description:** Consumed five or more servings of fruits or vegetables per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Consume < 5 times per day<br>Notes: _FRTSERV < 5 | 3,276 | 69.22 | 69.52 |
| 2 | Consume 5 or more times per day<br>Notes: 5 <= _FRTSERV < 999.99 | 1,335 | 28.21 | 27.46 |
| 9 | Don't know/Not sure/Missing<br>Notes: _FRTSERV = 999.99 | 122 | 2.58 | 3.02 |


**Computed Minutes of Moderate Physical Acitivity**

**CalculatedVaria** 17.1  Calculated Variables                                                          **Type:** Num
**bles:**

**Column:** 1275-1277                                                                **SAS Variable Name:** _MODPAMN
**Prologue:**

**Description:** Total minutes of moderate physical activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 599 | Minutes of moderate physical activity<br>Notes: MODPACT = 1 and 1 <= MODPADAY  <= 7 and 10 <= MODPATIM <= 759 or 800 <= MODPATIM <= 959 | 4,397 | 100.00 | 100.00 |
| BLANK | Don't know/Not sure/Refused/Missing<br>Notes: MODPATIM = 777 or 999 or Missing or MODPATIM > 959 or MODPACT = 7 or 9 or Missing or MODPADAY = 77 or 99 or Missing | 336 | | |

**Computed Minutes of Vigorous Physical Activity**

**CalculatedVaria bles:** 17.2  Calculated Variables

**Type:** Num

**Column:** 1278-1280

**SAS Variable Name:** _VIGPAMN

**Prologue:**

**Description:** Total minutes of vigorous physical activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 0 – 599 | Minutes of vigorous physical activity<br>Notes: VIGPACT = 1 and 1 <= VIGPADAY  <= 7 and 10 <= VIGPATIM <= 759 or 800 <= VIGPATIM <= 959 | 4,467 | 100.00 | 100.00 |
| BLANK | Don't know/Not sure/Refused/Missing<br>Notes: VIGPATIM = 777 or 999 or Missing or VIGPATIM > 959 or VIGPACT = 7 or 9 or Missing or VIGPADAY = 77 or 99 or Missing | 266 | | |

**Computed Moderate Physical Activity Categories**

**CalculatedVaria bles:** 17.3  Calculated Variables

**Type:** Num

**Column:** 1281

**SAS Variable Name:** MODCAT_

**Prologue:**

**Description:** 3 level moderate physical activity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Meet recommendations for moderate physical activity<br>Notes: MODPACT = 1 and _MODPAMN >= 30 and MODPADAY >= 5 | 1,776 | 37.52 | 37.61 |
| 2 | Insufficient activity to meet moderate recommendations<br>Notes: MODPACT = 1 and _MODPAMN < 30 or MODPADAY < 5 | 1,896 | 40.06 | 41.52 |
| 3 | No moderate physical activity<br>Notes: MODPACT = 2 or _MODPAMN = 0 | 725 | 15.32 | 13.45 |
| 9 | Don't know/Not sure/Refused/Missing<br>Notes: MODPACT = 7 or 9 or Missing or MODPACT = 1 and MODPADAY = 77 or 99 or Missing or MODPATIM = 777 or 999 or Missing | 336 | 7.10 | 7.43 |

**Computed Vigorous Physical Activity Categories**

**CalculatedVaria bles:** 17.4  Calculated Variables

**Type:** Num

**Column:** 1282

**SAS Variable Name:** VIGCAT_

**Prologue:**

**Description:** 3 level vigorous physical activity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Meet recommendations for vigorous physical activity<br>Notes: VIGPACT = 1 and _VIGPAMN >= 20 and VIGPADAY >= 3 | 1,097 | 23.18 | 27.85 |
| 2 | Insufficient activity to meet vigorous recommendations<br>Notes: VIGPACT = 1 and _VIGPAMN < 20 or VIGPADAY < 3 | 782 | 16.52 | 19.53 |
| 3 | No vigorous physical activity<br>Notes: VIGPACT = 2 or _VIGPAMN = 0 | 2,588 | 54.68 | 47.04 |
| 9 | Don't know/Not sure/Refused/Missing<br>Notes: VIGPACT = 7 or 9 or Missing or VIGPACT = 1 and VIGPADAY = 77 or 99 or Missing or VIGPATIM = 777 or 999 or Missing | 266 | 5.62 | 5.58 |

**Computed Overall Physical Activity Categories**

**CalculatedVaria** 17.5  Calculated Variables                                                    **Type:** Num
**bles:**
    **Column:** 1283                                                      **SAS Variable Name:** PACAT_
    **Prologue:**
**Description:** 5 level physical activity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Meet recommendations for moderate and vigorous physical activity<br>Notes: MODCAT_ = 1 and VIGCAT_ = 1 | 673 | 14.22 | 17.11 |
| 2 | Meet recommendations for vigorous physical activity<br>Notes: VIGCAT_ = 1 and MODCAT_ not equal to 1 | 424 | 8.96 | 10.74 |
| 3 | Meet recommendations for moderate physical activity<br>Notes: MODCAT_ = 1 and VIGCAT_ not equal to 1 | 1,103 | 23.30 | 20.50 |
| 4 | Insufficient activity to meet moderate or vigorous recommendations<br>Notes: MODCAT_ = 2 and VIGCAT_ = 2 or 3 or VIGCAT_ = 2 and MODCAT_ = 3 | 1,541 | 32.56 | 32.28 |
| 5 | No moderate or vigorous physical activity<br>Notes: MODCAT_ = 3 and VIGCAT_ = 3 | 638 | 13.48 | 11.60 |
| 9 | Don't know/Not sure/Refused/Missing<br>Notes: MODCAT_ = 9 or VIGCAT_ = 9 | 354 | 7.48 | 7.77 |

**Moderate Physical Activity Calculated Variable**

**CalculatedVaria** 17.6  Calculated Variables                                                    **Type:** Num
**bles:**
    **Column:** 1284                                                      **SAS Variable Name:** _RFPAMOD
    **Prologue:**
**Description:** Adults that have reported participating in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes<br>Notes: PACAT_ = 1 or 2 or 3 | 2,200 | 46.48 | 48.35 |
| 2 | No<br>Notes: PACAT_ = 4 or 5 | 2,179 | 46.04 | 43.88 |
| 9 | Don't know/Not Sure/Refused/Missing<br>Notes: PACAT_ = 9 | 354 | 7.48 | 7.77 |

**Vigorous Physical Activity Calculated Variable**

**CalculatedVaria** 17.7  Calculated Variables                                                    **Type:** Num
**bles:**
    **Column:** 1285                                                      **SAS Variable Name:** _RFPAVIG
    **Prologue:**
**Description:** Adults that have reported participating in vigorous activity for 20 or more minutes per day on 3 or more days

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|---|---|---|---|
| 1 | Yes<br>Notes: PACAT_ = 1 or 2 | 1,097 | 23.18 | 27.85 |
| 2 | No<br>Notes: PACAT_ = 3 or 4 or 5 | 3,370 | 71.20 | 66.57 |
| 9 | Don't know/Not Sure/Refused/Missing<br>Notes: PACAT_ = 9 | 266 | 5.62 | 5.58 |

**Recommended Physical Activity Calculated Variable**

**CalculatedVaria** 17.8  Calculated Variables                                                **Type:** Num
**bles:**

**Column:** 1286                                                                 **SAS Variable Name:** _RFPAREC

**Prologue:**

**Description:** Adults self reported physical activity level status

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Meet physical activity recommendations<br>Notes: PACAT_ = 1 or 2 or 3 | 2,200 | 46.48 | 48.35 |
| 2 | Insufficient physical activity<br>Notes: PACAT_ = 4 | 1,541 | 32.56 | 32.28 |
| 3 | No physical activity<br>Notes: PACAT_ = 5 | 638 | 13.48 | 11.60 |
| 9 | Don't know/Not Sure/Refused/Missing<br>Notes: PACAT_ = 9 | 354 | 7.48 | 7.77 |

**No Physical Activity or Exercise Calculated Variable**

**CalculatedVaria** 17.9  Calculated Variables                                                **Type:** Num
**bles:**

**Column:** 1287                                                                 **SAS Variable Name:** _RFNOPA

**Prologue:**

**Description:** Adults that have reported participating in physical activity or exercise

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes<br>Notes: _RFPAREC = 1 or 2 or _TOTINDA = 1 | 4,181 | 88.34 | 90.03 |
| 2 | No<br>Notes: _RFPAREC = 3 and _TOTINDA = 2 | 433 | 9.15 | 7.73 |
| 9 | Don't know/Not Sure/Refused/Missing<br>Notes: _RFPAREC = 9 or _TOTINDA = 9 | 119 | 2.51 | 2.25 |

**Ever been tested for HIV calculated variable**

**CalculatedVaria** 18.1  Calculated Variables                                                **Type:** Num
**bles:**

**Column:** 1288                                                                 **SAS Variable Name:** _AIDTST2

**Prologue:**

**Description:** Adults aged 18-64 that have ever been tested for HIV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Yes<br>Notes: 18 <= AGE <= 64 and HIVTST5 = 1 | 1,158 | 37.43 | 38.76 |
| 2 | No<br>Notes: 18 <= AGE <= 64 and HIVTST5 = 2 | 1,834 | 59.28 | 58.54 |
| 9 | Don't know/Not Sure/Refused<br>Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or Missing | 102 | 3.30 | 2.69 |
| BLANK | Missing or Age greater than 64<br>Notes: 18 <= AGE <= 64 and HIVTST5 = missing or AGE > 64 | 1,639 | | |